

CADILLAC

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
8 Cyl. ALL MODELS	1942-48	1	8 Cyl. 4.1-8 (252)	1982-87	11	8 Cyl. (Continued) 5.7 (350) B,R,8 EFI	1976-80	25
4 Cyl. 1.8-G (112)	1982	2	V6 4.3-T (260)	1985	12	5.7 (350N) DIESEL	1978-85	26
2.0-B & P (121)	1983-86	3	8 Cyl. 4.4-D (267) DOHC	2006-07	13	5.7-7 (350) OHV	1990-93	27
6 Cyl. 2.8-T (170) DOHC	2005-07	4	4.5-3 (273)	1990	14	5.7-P (350)	1994-96	28
V6 2.8-W (173)	1985-88	5	4.5-5 (273)	1988-89	15	5.7-R (350) OHV	1999-00	29
3.0-R (185) DOHC	1997-01	6	4.5-8 (273)	1989-92	16	6.0-N (364) OHV	2004-05	30
6 Cyl. 3.2-N (197) DOHC	2003-05	7	4.6-9,A.Y (281) DOHC	1993-07	17	365	1956-58	32
3.6-7 (220) DOHC	2004-07	8	4.6-A (281) DOHC	2004-07	18	6.0 (368) 6 & 9	1980-84	33
8 Cyl. 4.1-7 (250)	1987-88	9	4.9-B (300) OHV	1991-95	19	6.2-8 (378) OHV	2007-08	34
V6 4.1-4 (252)	1980-82	10	5.0-E (305)	1991-92	20	390	1959-63	35
			5.0-9 (307)	1987	21	425	1977-79	36
			5.0-Y (307)	1986-90	22	429	1964-67	37
			5.3-T (323) OHV	2002-05	23	472	1968-74	38
			331	1949-55	24	8.2 (500)	1970-76	39

Line No.	Part Title	Part No	Description
1	ALL MODELS ENG - 1942-48 - 8 Cyl. -		
	Mell Lube	M-10012	
	Chain	349	62 LINKS
2	1.8-G (112) ENG - 1982 - 4 Cyl. - 3.504 Bore (CHEVROLET 2BC)		
	Oil Pump	M-98 M-98HV	HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP
	Pump Kit	K-98	EXC. HI VOL
	Screen Assy	98-S	
	Intermediate Shaft	IS-98	
	Nylon Shaft Guide	M-55024	
	Camshaft	CCS-34	HYD.
	Camshaft Lifter Kit	CL-CCS-34	KIT INCLUDES 1-[CCS-34] CAM, 8-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-346	
	Intake Valve	V1466	HEAD DIA. 1.600
	Exhaust Valve	V1465	HEAD DIA. 1.378
	Valve Springs	VS-580	
	Valve Locks	VL-710	
	Rocker Arms	MR-864	
	Rocker Arm Kit	MRK-407	KIT INCLUDES 1-[MR-864], 1-[MRM-1721], 1-[MRM-1720] & 1-[MRM-1723]
	Rocker Arm Ball	MRM-1721	
	Rocker Arm Nut	MRM-1720	
	Rocker Arm Stud	MRDS-948	
3	2.0-B & P (121) ENG - 1983-86 - 4 Cyl. - 3.504 Bore (CHEVROLET ENG.)(2.0-B 1983-84 EXPORT)(2.0-P 1983-86)		
	Oil Pump	M-98 M-98HV	HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP
	Pump Kit	K-98	EXC. HI VOL
	Screen Assy	98-S	
	Intermediate Shaft	IS-98	
	Nylon Shaft Guide	M-55024	
	Camshaft	CCS-33 CCS-34	1983 HYD. 1984-1986 HYD.
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
3	2.0-B & P (121) ENG - 1983-86 - 4 Cyl. - 3.504 Bore (CHEVROLET ENG.)(2.0-B 1983-84 EXPORT)(2.0-P 1983-86) (Continued)		
	Camshaft Lifter Kit	CL-CCS-33 CL-CCS-34	1983 KIT INCLUDES 1-[CCS-33] CAM, 8-[JB-969] LIFTERS & 4OZ MELL LUBE 1984-1986 KIT INCLUDES 1-[CCS-34] CAM, 8-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-346	
	Intake Valve	V1466	HEAD DIA. 1.600
	Exhaust Valve	V1465	HEAD DIA. 1.378
	Valve Springs	VS-580	
	Valve Locks	VL-710	
	Rocker Arms	MR-864	
	Rocker Arm Kit	MRK-407	KIT INCLUDES 1-[MR-864], 1-[MRM-1721], 1-[MRM-1720] & 1-[MRM-1723]
	Rocker Arm Ball	MRM-1721	
	Rocker Arm Nut	MRM-1720	
	Rocker Arm Stud	MRDS-948	
	Chain	370	58 LINKS
	Cam Sprocket	S558	40 TEETH
	Crank Sprocket	S549	20 TEETH
	Tensioner	BT5115	
	3pc Set	3-370S	INCLUDES [370], [S558] & [S549]
4	2.8-T (170) DOHC ENG - 2005-07 - 6 Cyl. - 3.50 Bore (CTS)		
	Mell Lube	M-10012	
5	2.8-W (173) ENG - 1985-88 - V6 - 3.504 Bore (CHEVROLET)		
	Oil Pump	M-95B M-95HV M-95HV-S3	HI VOL PUMP-20% ADD'L VOL OF OIL THAN STOCK PUMP HI VOL PUMP-20% ADD'L VOL OF OIL THAN STOCK PUMP. INCLUDES SCREEN.
	Pump Kit	K-95B	EXC. HI VOL
	Screen Assy	95-S3 95-S2 95-S6	HI VOL 1985-1986 EXC. HI VOL 1987-1988 EXC. HI VOL
	Intermediate Shaft	IS-95	
	Nylon Shaft Guide	M-55024	
	Camshaft	MC1290	HYD.
	Camshaft Lifter Kit	CL-MC1290	KIT INCLUDES 1-[MC1290] CAM, 12-[JB-2095] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTC-5	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-380] SPRING W/INSTALLED HGT. OF 1.72
	Torque Cam Lifter Kit	CL-MTC-5	KIT INCLUDES 1-[MTC-5] CAM, 12-[JB-2095] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-380] SPRING W/INSTALLED HGT. OF 1.72. CHECK FOR COIL BIND.
	Mell Lube	M-10012	
	Lifters	JB-2095	HYD.
	Push Rods	MPR-342 MPR-376 MPR-375	1985-1986 1987-1988 EXH. 1987-1988 INT.
	Intake Valve	V1481 V1561	1985-1986 HEAD DIA. 1.718 1987-1988 HEAD DIA. 1.718
	Exhaust Valve	V1480 V1560	1985-1986 HEAD DIA. 1.425 1987-1988 HEAD DIA. 1.425
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
5	2.8-W (173) ENG - 1985-88 - V6 - 3.504 Bore (CHEVROLET) (Continued)		
	Valve Springs	VS-590	1985-1986
	Valve Locks	VL-200 VL-710	1985-1986 1987-1988
	Rocker Arms	MR-864	
	Rocker Arm Kit	MRK-407	KIT INCLUDES 1-[MR-864], 1-[MRM-1721], 1-[MRM-1720] & 1-[MRM-1723]
	Rocker Arm Ball	MRM-1721	
	Rocker Arm Nut	MRM-1720 MRM-1723	1985-1986 ADJ. 1987-1988 NON ADJ.
	Rocker Arm Stud	MRDS-948	1985-1986 ADJ.
	Chain	372	64 LINKS
	Cam Sprocket	S620	40 TEETH
	Crank Sprocket	S619	20 TEETH
	Damper	BD131	
	3pc Set	3-372S	INCLUDES [372], [S620] & [S619]
6	3.0-R (185) DOHC ENG - 1997-01 - V6 - 3.40 Bore		
	Mell Lube	M-10012	
	Belt	B-0285	225 TEETH
7	3.2-N (197) DOHC ENG - 2003-05 - 6 Cyl. - 3.44 Bore (CTS)		
	Mell Lube	M-10012	
	Belt	B-0285	2003-2004 225 TEETH
8	3.6-7 (220) DOHC ENG - 2004-07 - 6 Cyl. - 3.70 Bore (CTS, STS)		
	Mell Lube	M-10012	
9	4.1-7 (250) ENG - 1987-88 - 8 Cyl. - 3.47 Bore (ALLANTE')		
	Oil Pump	M132 M132	INCLUDES SCREEN- NOTE: IF SCREEN ASSY. TOUCHES BAFFLES IN OIL PAN, OIL PAN MUST BE REPLACED W/OEM #3532055. NOTE: WHEN USING THIS PUMP ON SOME VEHICLES, IT WILL BE NECESSARY TO REPLACE THE ORIGINAL 208MM (8.18") LONG INTERMEDIATE SHAFT W/OUR 226MM (8.89") LONG [IS130] SHAFT.
	Pump Kit	K-58I	
	Intermediate Shaft	IS130	USE W/[M132] PUMP OR AS A REPLACEMENT FOR 8.89" LONG SHAFT
	Camshaft	MC1248	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-456	
	Intake Valve	V1559	HEAD DIA. 1.535
	Exhaust Valve	V1558	HEAD DIA. 1.299
	Valve Springs	VS-1306	
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S706	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503SB	INCLUDES [503], [S706] & [S533]
10	4.1-4 (252) ENG - 1980-82 - V6 - 3.965 Bore (BUICK)		
	Retainers	MRM-1724	
	Pump Kit	K-20I	
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
10	4.1-4 (252) ENG - 1980-82 - V6 - 3.965 Bore (BUICK) (Continued)		
	Pump Kit	K-20IHV K-20IPHV	HI VOL KIT. PROVIDES 29% GREATER VOLUME. THIS IS A COMPLETE KIT THAT INCLUDES LONGER GEARS, SPACER, GASKETS, SPRINGS & INSTRUCTIONS. MAY REQUIRE REMOVING TIMING COVER FOR INSTALLATION. REQUIRES HAND TOOLS & DRILL (DRILL BIT INCLUDED) TO INSTALL. INCLUDES [K-20IHV] & [P-20I] THRUST PLATE KIT EXC. FWD
	Gear Thrust Plate	P-20I	PROVIDES NEW WEARING SURFACE FOR OUR [K-20I], [K-20IHV], [K-20J] & [K-20JHV] OIL PUMP KIT. [P-20I] KIT INCLUDES CAST IRON THRUST PLATE, MOUNTING GASKET, PROPER LENGTH SCREWS & INSTRUCTION SHEET EXC. FWD
	Screen Assy	20-IS2	
	Camshaft	SBC-12	HYD.
	Camshaft Lifter Kit	CL-SBC-12	KIT INCLUDES 1-[SBC-12] CAM, 12-[JB-969] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTB-2 MTB-1	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-380] SPRING W/INSTALLED HGT. OF 1.72 HYD. IMPROVES MID. PERF. CHECK FOR COIL BIND. USE [VS-380] SPRING W/INSTALLED HGT. OF 1.72
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTB-1 CL-MTB-2	KIT INCLUDES 1-[MTB-1] TORQUE CAM, 12-[29969] LIFTERS & 4OZ MELL LUBE KIT INCLUDES 1-[MTB-2] TORQUE CAM, 12-[29969] LIFTERS & 4OZ MELL LUBE
	Cam Button	CB100	CAM BUTTON WITH SPRING
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-103-B MPR-387 MPR-389	.035 O/S .060 O/S
	Intake Valve	V1388	HEAD DIA. 1.710
	Exhaust Valve	V1389	HEAD DIA. 1.500
	Valve Springs	VS-2219 VS-490	W/DAMPER W/O DAMPER
	Valve Locks	VL-200	
	Rocker Arms	MR-814 MR-813	LEFT HAND RIGHT HAND
	Rocker Arm Kit	MRK-542-R MRK-542-L	KIT INCLUDES 1-[MR-813] & 1-[MRM-1724] RIGHT HAND KIT INCLUDES 1-[MR-814] & 1-[MRM-1724] LEFT HAND
	Chain	359	54 LINKS
	Crank Sprocket	S323	20 TEETH
	Damper	BD44 BD45	RIGHT HAND W/SPRING 1980-1981 LEFT HAND
	Expansion Plug Kits	MPE-137R MPE-137	BAGGED, STEEL KIT INCLUDES (4) MPC-25 HEAD, (2) MPC-54 OIL GALLEY, (4) MPC-133 BLOCK, (1) MPS-42 CAMSHAFT, (1) MPS-172 CAMSHAFT, (2) MPP-567 CARDED, STEEL KIT INCLUDES (4) MPC-25 HEAD, (2) MPC-54 OIL GALLEY, (4) MPC-133 BLOCK, (1) MPS-42 CAMSHAFT, (1) MPS-172 CAMSHAFT, (2) MPP-567
11	4.1-8 (252) ENG - 1982-87 - 8 Cyl. - 3.464 Bore		
	Oil Pump	M132 M132	FLEETWOOD & DEVILLE INCLUDES SCREEN NOTE: WHEN USING THIS PUMP ON SOME VEHICLES, IT WILL BE NECESSARY TO REPLACE THE ORIGINAL 208MM (8.18") LONG INTERMEDIATE SHAFT W/OUR 226MM (8.89") LONG [IS130] SHAFT.
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
11	4.1-8 (252) ENG - 1982-87 - 8 Cyl. - 3.464 Bore (Continued)		
	Oil Pump	M130 M132	1982-1985 INCLUDES SCREEN ELDORADO & SEVILLE 1986-1987 ELDORADO & SEVILLE
	Pump Kit	K-58I	USE W/PUMP HOUSING HAVING 9 TOOTH GEARS
	Intermediate Shaft	IS130	USE W/[M130] & [M132] PUMP OR AS A REPLACEMENT FOR 8.89" LONG SHAFT
	Camshaft	CASC-5	HYD.
	Camshaft Lifter Kit	CL-CASC-5	KIT INCLUDES 1-[CASC-5] CAM, 16-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-354	
	Intake Valve	V1464 V1559	1982-1986 HEAD DIA. 1.534 1ST DES. VALVE HAS SQ. CUT GROOVE FOR LOCKS 1986-1987 HEAD DIA. 1.535 2ND DES. VALVE HAS ROUND CUT GROOVE FOR VALVE LOCKS
	Exhaust Valve	V1463 V1558	1982-1986 HEAD DIA. 1.301 1ST DES. VALVE HAS SQ. CUT GROOVE FOR LOCKS 1986-1987 HEAD DIA. 1.299 2ND DES. VALVE HAS ROUND CUT GROOVE FOR VALVE LOCKS
	Valve Springs	VS-1306 VS-1306	1982-1986 2ND DES. W/O DAMPER 1987
	Valve Locks	VL-200 VL-200 VL-200	1982-1983 DEVILLE, FLEETWOOD BROUGHAM 1ST DESIGN- KEY HAS SQUARE CUT RIDGE 1982-1986 ELDORADO, SEVILLE 1ST DESIGN- KEY HAS SQUARE CUT RIDGE 1984-1986 DEVILLE, FLEETWOOD BROUGHAM, FLEETWOOD LIMO 1ST DESIGN- KEY HAS SQUARE CUT RIDGE
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S546	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503S	INCLUDES [503], [S546] & [S533]
	Expansion Plug Kits	MPE-137R MPE-137	1982-1983 BAGGED, STEEL KIT INCLUDES (4) MPC-25 HEAD, (2) MPC-54 OIL GALLEY, (4) MPC-133 BLOCK, (1) MPS-42 CAMSHAFT, (1) MPS-172 CAMSHAFT, (2) MPP-567 1982-1983 CARDED, STEEL KIT INCLUDES (4) MPC-25 HEAD, (2) MPC-54 OIL GALLEY, (4) MPC-133 BLOCK, (1) MPS-42 CAMSHAFT, (1) MPS-172 CAMSHAFT, (2) MPP-567
12	4.3-T (260) ENG - 1985 - V6 - 4.057 Bore (OLDSMOBILE DIESEL)		
	Mell Lube	M-10012	
	Lifters	JB-2104	HYD. ROLLER
	Push Rods	MPR-358	
	Intake Valve	V1495 V1370	HEAD DIA. 1.750 W/E.G.R. HEAD DIA. 1.875 EXC. W/E.G.R.
	Exhaust Valve	V1494	HEAD DIA. 1.500 W/E.G.R.
	Valve Springs	VS-1100	
	Valve Locks	VL-200	
	Rocker Arms	MR-891	
	Rocker Arm Kit	MRK-550-2	KIT INCLUDES 2-[MR-891] & 1-[MRM-1798]
	Rocker Arm Pivot	MRM-1798	
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
12	4.3-T (260) ENG - 1985 - V6 - 4.057 Bore (OLDSMOBILE DIESEL) (Continued)		
	Expansion Plug Kits	MPE-124BR	BAGGED, BRASS KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133-B BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637
		MPE-124R	BAGGED, STEEL KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133 BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637
		MPE-124B	CARDER, BRASS KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133-B BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637
		MPE-124	CARDER, STEEL KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133 BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637
13	4.4-D (267) DOHC ENG - 2006-07 - 8 Cyl. - 3.58 Bore (STS, XLR) NORTHSTAR		
	Mell Lube	M-10012	
14	4.5-3 (273) ENG - 1990 - 8 Cyl. - 3.62 Bore		
	Oil Pump	M132 M132	INCLUDES SCREEN NOTE: WHEN USING THIS PUMP ON SOME VEHICLES, IT WILL BE NECESSARY TO REPLACE THE ORIGINAL 208MM (8.18") LONG INTERMEDIATE SHAFT W/OUR 226MM (8.89") LONG [IS130] SHAFT.
	Pump Kit	K-58I	
	Intermediate Shaft	IS130	USE W/[M132] PUMP OR AS A REPLACEMENT FOR 8.89" LONG SHAFT
	Camshaft	MC1248	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-456	
	Intake Valve	V1594	HEAD DIA. 1.770
	Exhaust Valve	V1593	HEAD DIA. 1.500
	Valve Springs	VS-1306	
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S706	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503SB	INCLUDES [503], [S706] & [S533]
15	4.5-5 (273) ENG - 1988-89 - 8 Cyl. - 3.62 Bore		
	Oil Pump	M132 M132	INCLUDES SCREEN- NOTE: IN 1988 IF SCREEN ASSY. TOUCHES BAFFLES IN OIL PAN, OIL PAN MUST BE REPLACED W/OEM #3538466. NOTE: WHEN USING THIS PUMP ON SOME VEHICLES, IT WILL BE NECESSARY TO REPLACE THE ORIGINAL 208MM (8.18") LONG INTERMEDIATE SHAFT W/OUR 226MM (8.89") LONG [IS130] SHAFT.
	Pump Kit	K-58I	
	Intermediate Shaft	IS130	USE W/[M132] PUMP OR AS A REPLACEMENT FOR 8.89" LONG SHAFT
	Camshaft	MC1248	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-456	
	Intake Valve	V1559	HEAD DIA. 1.535
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
15	4.5-5 (273) ENG - 1988-89 - 8 Cyl. - 3.62 Bore (Continued)		
	Exhaust Valve	V1558	HEAD DIA. 1.299
	Valve Springs	VS-1306	
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S546	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503S	INCLUDES [503], [S546] & [S533]
16	4.5-8 (273) ENG - 1989-92 - 8 Cyl. - 3.62 Bore		
	Oil Pump	M132 M132 M182	NOTE: IN 1989-90, WHEN USING THIS PUMP ON SOME VEHICLES, IT WILL BE NECESSARY TO REPLACE THE ORIGINAL 208MM (8.18") LONG INTERMEDIATE SHAFT W/OUR 226MM (8.89") LONG [IS130] SHAFT. 1989-1990 INCLUDES SCREEN- NOTE: IF SCREEN ASSY. TOUCHES BAFFLES IN OIL PAN, OIL PAN MUST BE REPLACED W/OEM #3532055. 1991-1992
	Pump Kit	K-58I	1989-1990
	Screen Assy	182S 182T	1991-1992 INLET SCREEN & TUBE ASSY 1991-1992 OUTLET TUBE
	Intermediate Shaft	IS130 IS182	1989-1990 USE W/[M132] PUMP OR AS A REPLACEMENT FOR 8.89" LONG SHAFT 1991-1992 USE W/[M182] PUMP OR AS A REPLACEMENT FOR 8.18" LONG SHAFT
	Camshaft	MC1248	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-456	
	Intake Valve	V1594	HEAD DIA. 1.770
	Exhaust Valve	V1593	HEAD DIA. 1.500
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S706	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503SB	INCLUDES [503], [S706] & [S533]
17	4.6-9,A,Y (281) DOHC ENG - 1993-07 - 8 Cyl. - 3.66 Bore (VIN 9 1993-07) (VIN Y 1993-07) (VIN A 2004-07) NORTHSTAR		
	Oil Pump	M188	1993-2006
	Mell Lube	M-10012	
	Lifters	JB-6051	1993-1999 HYD.
	Chain	8MMSRH62 8MMSRH126	1993-2004 62 LINKS LOWER 1993-2004 126 LINKS UPPER (2) REQ.
	Cam Sprocket	S770 S780 S768	1993-1999 40 TEETH RIGHT HAND EXH. 1993-2002 40 TEETH LEFT HAND INT. & EXH. (2) REQ. 1993-2002 40 TEETH RIGHT HAND INT.
	Crank Sprocket	S795	1993-1999 40 TEETH
	Intermediate Sprocket	S772	1993-2004 28 & 42 TEETH
	Tensioner	BT314 BT313	1993-2003 LOWER 1993-2004 UPPER (2) REQ.
	Damper	BD311	1993-2004 LEFT HAND
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
17	4.6-9,A,Y (281) DOHC ENG - 1993-07 - 8 Cyl. - 3.66 Bore (VIN 9 1993-07) (VIN Y 1993-07) (VIN A 2004-07) NORTHSTAR (Continued)		
	Damper	BD312	1993-2004 RIGHT HAND
	Guide	BG310 BG309	1993-2002 UPPER (2) REQ. 1993-2004 LOWER LEFT
18	4.6-A (281) DOHC ENG - 2005-07 - 8 Cyl. - 3.66 Bore (SRX, STS, XLR) NORTHSTAR		
	Mell Lube	M-10012	
19	4.9-B (300) OHV ENG - 1991-95 - 8 Cyl. - 3.62 Bore		
	Oil Pump	M182	
	Screen Assy	182S 182T	INLET SCREEN & TUBE ASSY OUTLET TUBE
	Intermediate Shaft	IS182	USE W/[M182] PUMP OR AS A REPLACEMENT FOR 8.18" LONG SHAFT
	Camshaft	MC1248	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-456	
	Intake Valve	V1594	1991-1993 HEAD DIA. 1.770
	Exhaust Valve	V1593	HEAD DIA. 1.500
	Valve Springs	VS-1306	1991-1995 EXC. EXPORT
	Rocker Arms	MR-920	
	Rocker Arm Pivot	MRM-1802 MRM-1803	CYL. #1, 3, 6, 8 FRONT OF VEHICLE (LH) CYL. #2, 4, 5, 7 REAR OF VEHICLE (RH)
	Chain	503	44 LINKS
	Cam Sprocket	S706	34 TEETH
	Crank Sprocket	S533	17 TEETH
	3pc Set	3-503SB	INCLUDES [503], [S706] & [S533]
20	5.0-E (305) ENG - 1991-92 - 8 Cyl. - 3.736 Bore		
	Oil Pump	M-55 M-55HV	5/8" SCREEN INLET STANDARD VOLUME HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 5/8" SCREEN INLET
	Pump Kit	K-55	EXC. HI VOL
	Screen Assy	55-S1	
	Intermediate Shaft	IS-55E IS-55G	MANUFACTURED WITH STEEL SHAFT GUIDE- ELIMINATES NYLON SHAFT GUIDE USES NYLON SHAFT GUIDE
	Nylon Shaft Guide	M-55005	USE W/[IS-55G]
	Camshaft	CCS-39	HYD. ROLLER HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-373	
	Intake Valve	V1393	HEAD DIA. 1.840
	Exhaust Valve	V1192	HEAD DIA. 1.500
	Valve Spring with Hydraulic Lifters	VS-380	
	Valve Locks	VL-200	
	Rocker Arms	MR-926	
	Rocker Arm Kit	MRK-651	KIT INCLUDES 1-[MR-926], 1-[MRM-1731] & 1-[MRM-1786]
	Rocker Arm Ball	MRM-1731	
	Rocker Arm Nut	MRM-1786	
	Rocker Arm Stud	MRDS-921	.003 O/S
	Chain	506	46 LINKS
	Cam Sprocket	S732	36 TEETH
	Crank Sprocket	S391	18 TEETH .40/.41 TOOTH WIDTH
		<i>Continued on Next Page</i>	

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
20	5.0-E (305) ENG - 1991-92 - 8 Cyl. - 3.736 Bore (Continued)		
	3pc Set	3-506SC	INCLUDES [506], [S732] & [S391]
21	5.0-9 (307) ENG - 1987 - 8 Cyl. - 3.800 Bore (ARMORED VEHICLE-OLDS ENG)		
	Oil Pump	M-22F M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Pump Kit	K-22F	EXC. HI VOL
	Screen Assy	22-FHVS 22-FS	BOLT ON SCREEN W/3/4" PICK UP TUBE- USE W/HI VOL PUMP PRESS IN SCREEN W/5/8" PICK UP TUBE, CAN BE USED IN EITHER STOCK OR HI VOL PUMP
	Intermediate Shaft	IS-22F	
	Mell Lube	M-10012	
	Lifters	JB-2104	HYD. ROLLER
	Push Rods	MPR-365	
	Intake Valve	V1450	HEAD DIA. 1.750
	Exhaust Valve	V1549	HEAD DIA. 1.505
	Valve Springs	VS-1100	
	Valve Locks	VL-200	
	Rocker Arms	MR-891	
	Rocker Arm Kit	MRK-550-2	KIT INCLUDES 2-[MR-891] & 1-[MRM-1798]
	Rocker Arm Pivot	MRM-1798	
	Chain	498	48 LINKS
	Cam Sprocket	S348	36 TEETH
	Crank Sprocket	S349	18 TEETH
	3pc Set	3-498SC	INCLUDES [498], [S348] & [S349]
22	5.0-Y (307) ENG - 1986-90 - 8 Cyl. - 3.800 Bore (OLDSMOBILE)		
	Oil Pump	M-22F M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Pump Kit	K-22F	EXC. HI VOL
	Screen Assy	22-FHVS 22-FS	BOLT ON SCREEN W/3/4" PICK UP TUBE- USE W/HI VOL PUMP PRESS IN SCREEN W/5/8" PICK UP TUBE, CAN BE USED IN EITHER STOCK OR HI VOL PUMP
	Intermediate Shaft	IS-22F	
	Camshaft	SOC-14	HYD. ROLLER
	Camshaft Lifter Kit	CL-SOC-14	KIT INCLUDES 1-[SOC-14] CAM, 16-[JB-2104] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2104	HYD. ROLLER
	Push Rods	MPR-365	
	Intake Valve	V1450	HEAD DIA. 1.750
	Exhaust Valve	V1354	HEAD DIA. 1.502
	Valve Springs	VS-720	
	Valve Locks	VL-200	
	Rocker Arms	MR-891	
	Rocker Arm Kit	MRK-550-2	KIT INCLUDES 2-[MR-891] & 1-[MRM-1798]
	Rocker Arm Pivot	MRM-1798	
	Chain	498	48 LINKS
	Cam Sprocket	S348	36 TEETH
	Crank Sprocket	S349	18 TEETH
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
22	5.0-Y (307) ENG - 1986-90 - 8 Cyl. - 3.800 Bore (OLDSMOBILE) (Continued)		
	3pc Set	3-498SC	INCLUDES [498], [S348] & [S349]
23	5.3-T (323) OHV ENG - 2002-05 - 8 Cyl. - 3.78 Bore (ESCALADE)		
	Oil Pump	M295	
	Oil Filter Adapter	MFA350	
	Screen Assy	324S	
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Chain	3SR60	60 LINKS
	Cam Sprocket	S826	44 TEETH
	Crank Sprocket	S827	22 TEETH
	3pc Set	3-3SR60SB	INCLUDES [3SR60], [S826], [S827]
24	331 ENG - 1949-55 - 8 Cyl. - 3.8125 Bore		
	Mell Lube	M-10012	
	Valve Locks	VL-200	
	Chain	499	46 LINKS
	Cam Sprocket	S255	36 TEETH
	Crank Sprocket	S256	18 TEETH
25	5.7 (350) B,R,8 EFI ENG - 1976-80 - 8 Cyl. - 4.057 Bore (EFI GAS) (350-B 1978-79) (350-R 1976-77) (350-8 1980)		
	Oil Pump	M-22F M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED. IT CAN BE USED IN EITHER FWD OR RWD DEPENDING ON THE SCREEN THAT IS USED
	Pump Kit	K-22F	EXC. HI VOL
	Screen Assy	22-FHVS 22-FS 22-FS3	BOLT ON SCREEN W/3/4" PICK UP TUBE- USE W/HI VOL PUMP PRESS IN SCREEN W/5/8" PICK UP TUBE, CAN BE USED IN EITHER STOCK OR HI VOL PUMP- RWD ONLY PRESS IN SCREEN- CAN BE USED IN STOCK OR HI VOL PUMP- FWD ONLY
	Intermediate Shaft	IS-22F	
	Camshaft	SOC-9	HYD.
	Camshaft Lifter Kit	CL-SOC-9	KIT INCLUDES 1-[SOC-9] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTO-1	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTO-1	KIT INCLUDES 1-[MTO-1] TORQUE CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-951	HYD.
	Push Rods	MPR-307 MPR-343	1976-1979 1980
	Intake Valve	V1263	HEAD DIA. 1.875
	Exhaust Valve	V1324 V1354	1976 HEAD DIA. 1.622 1977-1980 HEAD DIA. 1.502
	Valve Springs	VS-720	
	Valve Locks	VL-200	
	Rocker Arms	MR-890 MR-891	1976-1979 1980
	Rocker Arm Kit	MRK-540-1 MRK-550-2	1976-1979 KIT INCLUDES 2-[MR-890] & 1-[MRM-1798] PIVOT 1980 KIT INCLUDES 2-[MR-891] & 1-[MRM-1798]
	Rocker Arm Pivot	MRM-1798	
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
25	5.7 (350) B,R,8 EFI ENG - 1976-80 - 8 Cyl. - 4.057 Bore (EFI GAS) (350-B 1978-79) (350-R 1976-77) (350-8 1980) (Continued)		
	Chain	498	48 LINKS
	Cam Sprocket	S348	36 TEETH
	Crank Sprocket	S349	18 TEETH
	3pc Set	3-498SC	INCLUDES [498], [S348] & [S349]
26	5.7 (350N) DIESEL ENG - 1978-85 - 8 Cyl. - 4.057 Bore (OLDSMOBILE)		
	Oil Pump	M-22G M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED. IT CAN BE USED IN EITHER FWD OR RWD DEPENDING ON THE SCREEN THAT IS USED
	Pump Kit	K-22G	EXC. HI VOL
	Screen Assy	22-FHVS	BOLT ON SCREEN W/3/4" PICK UP TUBE- USE W/HI VOL PUMP- RWD ONLY
		22-FS	PRESS IN SCREEN W/5/8" PICK UP TUBE, CAN BE USED IN EITHER STOCK OR HI VOL PUMP- RWD ONLY
		22-GS1	PRESS IN SCREEN- CAN BE USED IN STOCK OR HI VOL PUMP- FWD ONLY
	Intermediate Shaft	IS-22F	
	Camshaft	SOC-12	1978-1980 HYD.
	Mell Lube	M-10012	
	Lifters	JB-2065	1978-1980 HYD.
		JB-2066	1980 .010 O/S HYD.
		JB-2104	1981-1985 HYD. ROLLER
	Push Rods	MPR-307	1978-1979
		MPR-343	1980
		MPR-358	1981-1985
	Intake Valve	V1370	HEAD DIA. 1.875
	Valve Springs	VS-700	1978-1980
		VS-1100	1981-1985
	Valve Locks	VL-200	
	Rocker Arms	MR-890	1978-1979
		MR-891	1980-1985
Rocker Arm Kit	MRK-540-1 MRK-550-2	1978-1979 KIT INCLUDES 2-[MR-890] & 1-[MRM-1798] PIVOT 1980-1985 KIT INCLUDES 2-[MR-891] & 1-[MRM-1798]	
Rocker Arm Pivot	MRM-1798		
Chain	180	48 LINKS	
3pc Set	3-180S	INCLUDES [180], [S498] & [S503]	
Expansion Plug Kits	MPE-124BR	BAGGED, BRASS KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133-B BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637	
	MPE-124R	BAGGED, STEEL KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133 BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637	
	MPE-124B	CARDED, BRASS KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133-B BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637	
	MPE-124	CARDED, STEEL KIT INCLUDES (1) MPC-39 BLOCK, (1) MPC-54 BLOCK, (1) MPC-72 BLOCK H, (6) MPC-133 BLOCK H, (1) MPS-150 CAMSHAFT, (2) MPP-637	

Line No.	Part Title	Part No	Description
27	5.7-7 (350) OHV ENG - 1990-93 - 8 Cyl. - 4.06 Bore		
	Oil Pump	M155HV M-55HV M-55 M155 M-55	HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 3/4" SCREEN INLET W/3/4" DIA. INLET HOLE HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 5/8" SCREEN INLET W/5/8" DIA. INLET HOLE 1990-1992 5/8" SCREEN INLET STANDARD VOLUME 1993 3/4" SCREEN INLET STANDARD VOLUME W/3/4" DIA. INLET HOLE 1993 5/8" SCREEN INLET STANDARD VOLUME W/5/8" DIA. INLET HOLE
	Pump Kit	K-55	EXC. HI VOL
	Screen Assy	55-S1 155S 55-S1	1990-1992 1993 W/3/4" DIA. PICK-UP TUBE 1993 W/5/8" DIA. PICK-UP TUBE
	Intermediate Shaft	IS-55E IS-55G	MANUFACTURED WITH STEEL SHAFT GUIDE- ELIMINATES NYLON SHAFT GUIDE USES NYLON SHAFT GUIDE
	Nylon Shaft Guide	M-55005	USE W/[IS-55G]
	Camshaft	CCS-39	HYD. ROLLER HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-373	
	Intake Valve	V1195	HEAD DIA. 1.940
	Exhaust Valve	V1192	HEAD DIA. 1.500
	Valve Spring with Hydraulic Lifters	VS-380	
	Valve Locks	VL-200	
	Rocker Arms	MR-926	
	Rocker Arm Kit	MRK-651	KIT INCLUDES 1-[MR-926], 1-[MRM-1731] & 1-[MRM-1786]
	Rocker Arm Ball	MRM-1731	
	Rocker Arm Nut	MRM-1786	
	Rocker Arm Stud	MRDS-921	.003 O/S
	Chain	506	46 LINKS
	Cam Sprocket	S732	36 TEETH .395/.405 TOOTH WIDTH
	Crank Sprocket	S391 S797	1990-1991 18 TEETH .40/.41 TOOTH WIDTH 1992-1993 18 TEETH
	3pc Set	3-506SC	1990-1991 INCLUDES [506], [S732] & [S391]
28	5.7-P (350) ENG - 1994-96 - 8 Cyl. - 4.000 Bore (LT1)		
	Oil Pump	M155HV M-55HV M155 M-55 M155	HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 3/4" SCREEN INLET W/3/4" DIA. INLET HOLE HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 5/8" SCREEN INLET W/5/8" DIA. INLET HOLE 1994 3/4" SCREEN INLET STANDARD VOLUME W/3/4" DIA. INLET HOLE 1994 5/8" SCREEN INLET STANDARD VOLUME W/5/8" DIA. INLET HOLE 1995-1996 3/4" SCREEN INLET STANDARD VOLUME
	Pump Kit	K-55	EXC. HI VOL
	Screen Assy	155S 55-S1	1994 W/3/4" DIA. PICK-UP TUBE 1994 W/5/8" DIA. PICK-UP TUBE
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
28	5.7-P (350) ENG - 1994-96 - 8 Cyl. - 4.000 Bore (LT1) (Continued)		
	Screen Assy	155S	1995-1996
	Intermediate Shaft	IS-55E	MANUFACTURED WITH STEEL SHAFT GUIDE- ELIMINATES NYLON SHAFT GUIDE
		IS-55G	USES NYLON SHAFT GUIDE
	Camshaft	MC1337	HYD. ROLLER
		MC1337	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-373	1994-1995
	Exhaust Valve	V1807	HEAD DIA. 1.500
	Valve Springs	VS-2229	
	Valve Locks	VL-200	
	Rocker Arms	MR-926	
	Rocker Arm Kit	MRK-651	KIT INCLUDES 1-[MR-926], 1-[MRM-1731] & 1-[MRM-1786]
	Rocker Arm Ball	MRM-1731	
	Rocker Arm Nut	MRM-1786	
	Rocker Arm Stud	MRDS-921	.003 O/S
	Chain	509	46 LINKS
	Cam Sprocket	S814	36 TEETH
	Crank Sprocket	S797	18 TEETH
	3pc Set	3-509SA	INCLUDES [509], [S797], [S814]
	Expansion Plug Kits	MPE-100BR	BAGGED, BRASS KIT INCLUDES (8) MPC-41-B BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567
		MPE-100R	BAGGED, STEEL KIT INCLUDES (8) MPC-41 BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567
		MPE-100B	CARDER, BRASS KIT INCLUDES (8) MPC-41-B BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567
		MPE-100	CARDER, STEEL KIT INCLUDES (8) MPC-41 BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567
29	5.7-R (350) OHV ENG - 1999-00 - 8 Cyl. - 4.00 Bore (ESCALADE)		
	Oil Pump	M155	3/4" SCREEN INLET STANDARD VOLUME
		M155HV	HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE) 3/4" SCREEN INLET HI VOL PUMP-25% ADD'L VOL OF OIL THAN STOCK PUMP (MUST USE IS SHAFT W/STEEL GUIDE)
	Oil Filter Adapter	MFA350	
	Screen Assy	155S	
	Intermediate Shaft	IS-55E	MANUFACTURED WITH STEEL SHAFT GUIDE- ELIMINATES NYLON SHAFT GUIDE HAS STEEL SHAFT GUIDE - ELIMINATES NYLON SHAFT GUIDE
		IS-55G	USES NYLON SHAFT GUIDE USES NYLON SHAFT GUIDE
	Nylon Shaft Guide	M-55005	USE W/ [IS-55G]
	Camshaft	MC1320	HYD ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Push Rods	MPR-615	
	Intake Valve	V1931	HEAD DIA. 1.940
	Exhaust Valve	V1807	HEAD DIA. 1.500
	Valve Springs	VS-2229	
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
29	5.7-R (350) OHV ENG - 1999-00 - 8 Cyl. - 4.00 Bore (ESCALADE) (Continued)		
	Valve Locks	VL-200	
	Rocker Arms	MR-926	
	Rocker Arm Kit	MRK-651	KIT INCLUDES 1-[MR-926], 1-[MRM-1731] & 1-[MRM-1786]
	Chain	202 506	46 LINKS .275"/.285" TOOTH WIDTH 46 LINKS .40"/.41" TOOTH WIDTH W/BACK BEND
	Cam Sprocket	S784 S732	36 TEETH .275"/.285" TOOTH WIDTH 36 TEETH .40"/.41" TOOTH WIDTH
	Crank Sprocket	S797 S645	18 TEETH .40"/.41" TOOTH WIDTH 18 TEETH .275"/.285" TOOTH WIDTH
	3pc Set	3-202SA	INCLUDES [202], [S784], [S645] .275"/.285" TOOTH WIDTH
	Expansion Plug Kits	MPE-100BR MPE-100R MPE-100B MPE-100	BAGGED, BRASS KIT INCLUDES (8) MPC-41-B BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567 BAGGED, STEEL KIT INCLUDES (8) MPC-41 BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567 CARDED, BRASS KIT INCLUDES (8) MPC-41-B BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567 CARDED, STEEL KIT INCLUDES (8) MPC-41 BLOCK, (2) MPC-48 OIL GALLEY, (3) MPC-95 OIL GALLEY, (3) MPC-108 OIL GALLEY, (1) MPS-78 CAMSHAFT, (5) MPP-567
30	5.7-S (346) OHV ENG - 2004-05 - 8 Cyl. - 3.90 Bore (CTS)		
	Oil Pump	M295	
	Mell Lube	M-10012	
	Lifters	JB-2079	HYD. ROLLER
	Valve Locks	VL-760	
	Chain	3SR60	60 LINKS
	Cam Sprocket	S826	44 TEETH
	Crank Sprocket	S827	22 TEETH
	3pc Set	3-3SR60SB	INCLUDES [3SR60], [S826], [S827]
31	6.0-N (364) OHV ENG - 2002-07 - 8 Cyl. - 4.00 Bore (ESCALADE, CTS) VORTEC		
	Oil Pump	M295	
	Oil Filter Adapter	MFA350	2002-2006
	Screen Assy	324S	2002-2006 ESCALADE
	Mell Lube	M-10012	
	Lifters	JB-2079	2002-2006 HYD. ROLLER
	Chain	3SR60	2002-2006 60 LINKS
	Cam Sprocket	S826	2002-2006 44 TEETH ESCALADE
	Crank Sprocket	S827	2002-2006 22 TEETH
	3pc Set	3-3SR60SB	2002-2006 INCLUDES [3SR60], [S826], [S827] ESCALADE
32	365 ENG - 1956-58 - 8 Cyl. - 4.000 Bore		
	Pump Kit	K-58	
	Camshaft	CASC-2	HYD.
	Mell Lube	M-10012	
	Push Rods	MPR-21	1957-1958 AFTER ENG. #43297
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Chain	499	46 LINKS
	Cam Sprocket	S255	36 TEETH
	Crank Sprocket	S256	18 TEETH

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
33	6.0 (368) 6 & 9 ENG - 1980-84 - 8 Cyl. - 3.800 Bore (6.0-6 CARB.) (6.0-9 EFI)		
	Oil Pump	M-58G M-58H	USE W/FLEETWOOD BROUGHAM, DEVILLE, LIMO & SHORT SILL COWL. 1980-1981 ELDORADO & SEVILLE
	Pump Kit	K-58F	
	Screen Assy	58-FS1	EXC. 1980-81 ELDORADO & SEVILLE
	Camshaft	CASC-4	HYD.
	Camshaft Lifter Kit	CL-CASC-4	KIT INCLUDES 1-[CASC-4] CAM, 16-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-305	
	Intake Valve	V1434	HEAD DIA. 1.750
	Exhaust Valve	V1433	HEAD DIA. 1.500
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Rocker Arms	MR-918	368-9 ONLY
	Chain	498	48 LINKS
	Cam Sprocket	S404	36 TEETH
	Crank Sprocket	S405	18 TEETH
	3pc Set	3-498S	INCLUDES [498], [S404] & [S405]
34	6.2-8 (378) OHV ENG - 2007-08 - 8 Cyl. - 4.06 Bore (ESCALADE)		
	Oil Pump	M365	
	Mell Lube	M-10012	
35	390 ENG - 1959-63 - 8 Cyl. - 4.000 Bore		
	Pump Kit	K-58B K-58C	1959-1962 1963
	Camshaft	CASC-2 CASC-3	1959-1962 HYD. 1963 HYD.
	Mell Lube	M-10012	
	Push Rods	MPR-21 MPR-22	1959-1962 1963
	Intake Valve	V0526	HEAD DIA. 1.875
	Exhaust Valve	V0525	HEAD DIA. 1.500
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Chain	505	46 LINKS
	Cam Sprocket	S255 S370	1959-1962 36 TEETH 1963 36 TEETH
	Crank Sprocket	S299	1959-1962 18 TEETH
36	425 ENG - 1977-79 - 8 Cyl. - 4.082 Bore		
	Oil Pump	M-58G	
	Pump Kit	K-58F	
	Screen Assy	58-FS1	EXC. ELDORADO
	Camshaft	CASC-4	HYD. USE OLD ECENTRIC FOR FUEL PUMP ON CARBURETED VEHICLES
	Camshaft Lifter Kit	CL-CASC-4	KIT INCLUDES 1-[CASC-4] CAM, 16-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-305	
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Chain	498	48 LINKS
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
36	425 ENG - 1977-79 - 8 Cyl. - 4.082 Bore (Continued)		
	Cam Sprocket	S404	36 TEETH
	Crank Sprocket	S405	18 TEETH
	3pc Set	3-498S	INCLUDES [498], [S404] & [S405]
37	429 ENG - 1964-67 - 8 Cyl. - 4.130 Bore		
	Pump Kit	K-58D K-58E	1964-1965 1966-1967
	Camshaft	CASC-3	HYD.
	Mell Lube	M-10012	
	Lifters	JB-969	1967 HYD.
	Push Rods	MPR-22 MPR-304	1964-1966 1967
	Intake Valve	V0526	1964-1965 HEAD DIA. 1.875 TO ENG. #13900
	Exhaust Valve	V0978 V0525	HEAD DIA. 1.500 1964-65 AFTER ENG. #113900 & 1966-67 ALL 1964-1965 HEAD DIA. 1.500 TO ENG. #113900
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Chain	505 499	1964-1965 46 LINKS 1966-1967 46 LINKS
	Cam Sprocket	S370 S404	1964-1965 36 TEETH 1966-1967 36 TEETH
	Crank Sprocket	S365	1966-1967 18 TEETH
38	472 ENG - 1968-74 - 8 Cyl. - 4.300 Bore		
	Oil Pump	M-58F	
	Pump Kit	K-58F	
	Camshaft	CASC-4	HYD. USE OLD ECENTRIC FOR FUEL PUMP ON CARBURETED VEHICLES
	Camshaft Lifter Kit	CL-CASC-4	KIT INCLUDES 1-[CASC-4] CAM, 16-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-305	
	Intake Valve	V1084	1973 HEAD DIA. 2.000
	Exhaust Valve	V1083	1973 HEAD DIA. 1.625
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	Chain	498	48 LINKS
	Cam Sprocket	S404	36 TEETH
	Crank Sprocket	S405	18 TEETH
	3pc Set	3-498S	INCLUDES [498], [S404] & [S405]
39	8.2 (500) ENG - 1970-76 - 8 Cyl. - 4.300 Bore		
	Oil Pump	M-58F	
	Pump Kit	K-58F	
	Camshaft	CASC-4	HYD. USE OLD ECENTRIC FOR FUEL PUMP ON CARBURETED VEHICLES
	Camshaft Lifter Kit	CL-CASC-4	KIT INCLUDES 1-[CASC-4] CAM, 16-[JB-969] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-969	HYD.
	Push Rods	MPR-305	
	Intake Valve	V1084	1970-1973 HEAD DIA. 2.000
	Exhaust Valve	V1083	1970-1973 HEAD DIA. 1.625
	Valve Springs	VS-730	
	Valve Locks	VL-200	
	<i>Continued on Next Page</i>		

CADILLAC (Continued)

Line No.	Part Title	Part No	Description
39	8.2 (500) ENG - 1970-76 - 8 Cyl. - 4.300 Bore (Continued)		
	Chain	498	48 LINKS
	Cam Sprocket	S404	36 TEETH
	Crank Sprocket	S405	18 TEETH
	3pc Set	3-498S	INCLUDES [498], [S404] & [S405]

CASE TRACTOR

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
4 Cyl.			4 Cyl. (Continued)			6 Cyl.		
M38 & F124		1	164		4	A-401D DIESEL		7
124		2	G-188D DIESEL		5			
G-148 & G-148B		3	A-267D DIESEL		6			

Line No.	Part Title	Part No	Description
1	M38 & F124 ENG - 4 Cyl. - 3.00 Bore (V SERIES & CONTINENTAL)		
	Mell Lube	M-10012	
	Intake Valve	V0810 V0945	HEAD DIA. 1.516 DRILLED STEM HEAD DIA. 1.516 SINGLE GROOVE
	Exhaust Valve	V0170 V0837	HEAD DIA. 1.203 DRILLED STEM HEAD DIA. 1.203 SINGLE GROOVE
	Crank Gear	2603	24 TEETH
2	124 ENG - 4 Cyl. - 3 1/4 Bore (VA SERIES)		
	Mell Lube	M-10012	
	Intake Valve	V0269	HEAD DIA. 1.328
3	G-148 & G-148B ENG - 4 Cyl. - 3 3/8 Bore		
	Mell Lube	M-10012	
	Intake Valve	V0269	HEAD DIA. 1.328
4	164 ENG - 4 Cyl. - 3 9/16 Bore		
	Mell Lube	M-10012	
5	G-188D DIESEL ENG - 4 Cyl. - 3 3/16 Bore (MODELS 430,440,441,470,480,530,570,580B,630. WHEEL LOADERS W-3,W5A,480C,580C,1845. COMBINES 600 & 650)		
	Mell Lube	M-10012	
	Exhaust Valve	V0690	HEAD DIA. 1.403
6	A-267D DIESEL ENG - 4 Cyl. - 4 1/8 Bore (SERIES 700,730,800)		
	Mell Lube	M-10012	
	Exhaust Valve	V0679	HEAD DIA. 1.484
7	A-401D DIESEL ENG - 6 Cyl. - 4 1/8 Bore		
	Mell Lube	M-10012	
	Exhaust Valve	V0679	HEAD DIA. 1.484