

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
4 Cyl.			4 Cyl. (Continued)			6 Cyl. (Continued)		
1.4 OHC	1979-84	1	2.0-Y (122) DOHC	1995-99	19	230	1934-59	32
1.5 (1500) OHC	1971-73	2	2.2 (135) SOHC	1981-94	20	V6		
1.5-A (Q1500)	1991-94	3	2.4-G (144) SOHC	1993-94	21	3.8-L (230) OHV	1994-99	33
1.5-K,X (Q1500)	1985-90	4	2.4-W (144) SOHC	1992	22	8 Cyl.		
1.6 (1600) DOHC	1989-90	5	2.4-X ,B (148) DOHC	1996-00	23	239	1953-55	34
1.6 (1600) OHV	1983-86	6	2.5 (153) OHC	1986-95	24	270	1955-56	35
1.6 (K1600) OHC	1971-77	7	2.6 (2600) OHC	1978-86	25	273	1965-69	36
1.6 (K1600) OHC	1978-82	8	6 Cyl.			5.2 (318)	1958-89	37
1.6 (K1600) SOHC	1983-90	9	170	1960-69	26	340	1968-73	38
1.6 (Z1600) SOHC	1977-80	10	V6			350	1958	39
1.7 (1700) OHC	1978-83	11	3.0-3 (181) SOHC	1987-00	27	5.9 (360)	1971-80	40
1.8 (P1800)	1992-96	12	6 Cyl.			361	1959-66	41
1.8 (P1800) OHC	1989-90	13	198	1970-74	28	383	1960-71	42
1.8 (P1800) SOHC	1990-94	14	V6			400	1972-78	43
2.0 (A2000) SOHC	1984-91	15	3.3 (201) OHV	1990-00	29	413	1962	44
2.0 (U2000) OHC	1976-78	16	6 Cyl.			426 HEMI	1966-71	45
2.0 (122) DOHC	1990-94	17	3.5 (215) SOHC	1997-01	30	426 WEDGE	1963-65	46
2.0-C,N (122) SOHC	1995-01	18	3.7 (225)	1960-83	31	440	1966-78	47

Line No.	Part Title	Part No	Description
1	1.4 OHC ENG - 1979-84 - 4 Cyl. - 74 MM Bore (CHAMP VIN CODE J,2,A)		
	Oil Pump	M143	
	Camshaft	MC1200	MECH.
	Mell Lube	M-10012	
	Intake Valve	V5098	HEAD DIA. 1.338
	Exhaust Valve	V5097	HEAD DIA. 1.181
	Jet Valve	V5417	0.276
	Belt	B-073	92 TEETH
	Tensioner	BD33	
2	1.5 (1500) OHC ENG - 1971-73 - 4 Cyl. - 86 MM Bore (CRICKET)		
	Mell Lube	M-10012	
	Intake Valve	V5098	HEAD DIA. 1.338
	Exhaust Valve	V5097	HEAD DIA. 1.181
	Chain	3SR64	64 LINKS
3	1.5-A (Q1500) ENG - 1991-94 - 4 Cyl. - 75.5 MM Bore (1991-94 1.5-A OHC 12 VALVE G15B U.S.,4G15 CANADA) (MITSUBISHI ENG'S)		
	Oil Pump	M170	1991-1992
	Screen Assy	260S	
	Mell Lube	M-10012	
	Belt	B-0191	92 TEETH
4	1.5-K,X (Q1500) ENG - 1985-90 - 4 Cyl. - 75.5 MM Bore (1985-90 1.5-K SOHC CARB G15B 8 VALVE U.S.) (1989-90 1.5-X SOHC MPI 4G15 8 VALVE CANADA) (MITSUBISHI ENG)		
	Oil Pump	M143	
	Screen Assy	260S	1987-1990
	Camshaft	MC1200	1985-1988
		MC1200	1989-1990 COLT 100 MECH.
	Mell Lube	M-10012	
	Intake Valve	V5098	HEAD DIA. 1.338 1985-88 U.S., 1989-90 CANADA EXC. 1988-90 WAGON
	Exhaust Valve	V5097	HEAD DIA. 1.181
	Jet Valve	V5417	1985-1986 0.276
		V5418	1987-1990
	Belt	B-073	1985-1986 92 TEETH
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
4	1.5-K,X (Q1500) ENG - 1985-90 - 4 Cyl. - 75.5 MM Bore (1985-90 1.5-K SOHC CARB G15B 8 VALVE U.S.) (1989-90 1.5-X SOHC MPI 4G15 8 VALVE CANADA) (MITSUBISHI ENG) (Continued)		
	Belt	B-0128	1987-1990 92 TEETH
	Tensioner	BD33	1987-1990
5	1.6 (1600) DOHC ENG - 1989-90 - 4 Cyl. - 82.3 MM Bore (4G61 MITSUBISHI ENG)		
	Mell Lube	M-10012	
	Intake Valve	V5126	HEAD DIA. 1.337
	Exhaust Valve	V5128	HEAD DIA. 1.198
	Belt	B-0165	151 TEETH
	Tensioner	BT194	
6	1.6 (1600) OHV ENG - 1983-86 - 4 Cyl. - 3.17 Bore (HORIZON,TURISMO & SCAMP)		
	Mell Lube	M-10012	
7	1.6 (K1600) OHC ENG - 1971-77 - 4 Cyl. - 76.9 MM Bore (W/O BALANCE SHAFT 4G32 CANADA,G32B U.S.) (MITSUBIS ENG'S) (CHAMP & ARROW)		
	Mell Lube	M-10012	
	Intake Valve	V5076	HEAD DIA. 1.496
	Exhaust Valve	V5083	HEAD DIA. 1.220
	Crank Sprocket	S605	1971 18 TEETH
	Tensioner	BT56	
	Guide	BG53	LOOSE SIDE
8	1.6 (K1600) OHC ENG - 1978-82 - 4 Cyl. - 76.9 MM Bore (W/O BALANCE SHAFT-ARROW,CHAMP & SAPPORO) (G32B MITSUBISHI ENG)		
	Oil Pump Sprocket	S903	1980-1981 24 TEETH
	Camshaft	MC830	NOTE: YOU MUST ALSO ORDER OEM CAM SPROCKET #MD011483 & BOLT #MF140285 HYD.
	Mell Lube	M-10012	
	Intake Valve	V5076	HEAD DIA. 1.496
	Exhaust Valve	V5083	HEAD DIA. 1.220
	Jet Valve	V5417	0.276
	Tensioner	BD32	
9	1.6 (K1600) SOHC ENG - 1983-90 - 4 Cyl. - 76.9 Bore (COLT) (G32B U.S., 4G32 CANADA) (MITSUBISHI ENG'S)		
	Oil Pump Sprocket	S8003	1983-1988 24 TEETH
	Screen Assy	260S	1987-1990
	Camshaft	MC830	HYD.
	Mell Lube	M-10012	
	Intake Valve	V5076	1983 HEAD DIA. 1.496
		V5127	1984-1990 HEAD DIA. 1.496
	Exhaust Valve	V5083	1983 HEAD DIA. 1.220
		V5129	1984-1990 HEAD DIA. 1.218
	Jet Valve	V5417	1983-1986 0.276
		V5418	1987-1990
	Belt	B-093	120 TEETH
	Tensioner	BD32	1983 TO 12/86
	BT160	FROM 1/87 TO 1990	
10	1.6 (Z1600) SOHC ENG - 1977-80 - 4 Cyl. - 76.9 MM Bore (W/BALANCE SHAFT-RWD-ARROW & SAPPORO) (G32B MITSUBISHI ENG)		
	Camshaft	MC830	1978-1980 NOTE: YOU MUST ALSO ORDER OEM CAM SPROCKET #MD011483 & BOLT #MF140285 HYD.
	Mell Lube	M-10012	
	Intake Valve	V5076	HEAD DIA. 1.496
	Exhaust Valve	V5083	HEAD DIA. 1.220
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
10	1.6 (Z1600) SOHC ENG - 1977-80 - 4 Cyl. - 76.9 MM Bore (W/BALANCE SHAFT-RWD-ARROW & SAPPORO) (G32B MITSUBISHI ENG) (Continued)		
	Belt	B-013	122 TEETH CAMSHAFT
	Crank Sprocket	S901	32 TEETH BAL. SHAFT
	Tensioner	BD38 BD32	BAL. SHAFT CAMSHAFT
11	1.7 (1700) OHC ENG - 1978-83 - 4 Cyl. - 3.13 Bore		
	Oil Pump	M-79G	INCLUDES SCREEN
	Pump Kit	K-79G	
	Camshaft	SVW-1	MECH.
	Mell Lube	M-10012	
	Intake Valve	V5007	HEAD DIA. 1.333 SINGLE GROOVE
	Exhaust Valve	V5364	HEAD DIA. 1.227 TRIPLE GROOVE
	Valve Springs	VS-990 VS-1000	INNER OUTER
	Belt	B-017	121 TEETH
	Crank Sprocket	S411	22 TEETH
	Tensioner	BT148	
12	1.8 (P1800) ENG - 1992-96 - 4 Cyl. - 3.39 Bore (W/O BALANCE SHAFT-16 VALVE) (4G93 MITSUBISHI ENG)		
	Mell Lube	M-10012	
	Belt	B-0201	121 TEETH
13	1.8 (P1800) OHC ENG - 1989-90 - 4 Cyl. - 3.39 Bore (W/O BALANCE SHAFT-COLT 8 VALVE) (4G37 MITSUBISHI ENG)		
	Screen Assy	260S	
	Mell Lube	M-10012	
	Lifters	JB-2250	HYD.
	Exhaust Valve	V5140	HEAD DIA. 1.337
	Belt	B-093	120 TEETH
	Tensioner	BT160	
14	1.8 (P1800) SOHC ENG - 1990-94 - 4 Cyl. - 3.17 Bore (W/BALANCE SHAFTS-LASER) (4G37 MITSUBISHI ENG)		
	Oil Pump	M199	
	Mell Lube	M-10012	
	Lifters	JB-2250	HYD.
	Exhaust Valve	V5140	HEAD DIA. 1.337
	Belt	B-090 B-0158	55 TEETH BAL. SHAFT 122 TEETH CAMSHAFT
	Tensioner	BD38 BT160	BAL. SHAFT CAMSHAFT
15	2.0 (A2000) SOHC ENG - 1984-91 - 4 Cyl. - 85 MM Bore (W/BALANCE SHAFT) (G63B MITSUBISHI ENG)		
	Screen Assy	261S	1984-1989
	Camshaft	MC816 MC817	1984 MECH. 1985-1991 HYD.
	Mell Lube	M-10012	
	Lifters	JB-2250	1985-1991 HYD.
	Intake Valve	V5141	HEAD DIA. 1.693
	Exhaust Valve	V5142	HEAD DIA. 1.378
	Jet Valve	V5417 V5418	1984-1986 0.276 1987-1991
	Valve Springs	VS-1317	
		<i>Continued on Next Page</i>	

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
15	2.0 (A2000) SOHC ENG - 1984-91 - 4 Cyl. - 85 MM Bore (W/BALANCE SHAFT) (G63B MITSUBISHI ENG) (Continued)		
	Belt	B-089 B-090 B-0158 B-0159	1984 TO 10/1/86 122 TEETH CAMSHAFT 1984 TO 3/1/88 55 TEETH BAL. SHAFT FROM 10/1/86 TO 1991 122 TEETH CAMSHAFT FROM 3/1/88 TO 1991 55 TEETH BAL. SHAFT
	Tensioner	BT105 BT106 BT161	CAMSHAFT 1984 TO 5/87 BAL. SHAFT FROM 6/87 TO 1991 BAL. SHAFT
16	2.0 (U2000) OHC ENG - 1976-78 - 4 Cyl. - 84 MM Bore (W/BALANCE SHAFT-ARROW) (G52B MITSUBISHI ENG)		
	Oil Pump	M122	
	Camshaft	SPD-32	NOTE: THIS CAM HAS STD. JOURNALS MECH.
	Mell Lube	M-10012	
	Intake Valve	V5065	HEAD DIA. 1.693
	Exhaust Valve	V5064	HEAD DIA. 1.377
	Jet Valve	V5417	0.276
	Valve Springs	VS-1020	1977-1978
	Chain	8MMSR90 3DR102	90 LINKS BAL. SHAFT 102 LINKS CAMSHAFT
	Crank Sprocket	S455 S407	19 TEETH INNER 34 TEETH OUTER
	Balance Shaft Sprocket	S567	17 TEETH (2) REQ.
	Tensioner	BT49	
	Guide	BD31 BD30 BG48 BG51 BG50 BG64	LOOSE SIDE TENSION SIDE BAL. SHAFT LOWER LEFT BAL. SHAFT LOWER RIGHT 1976-1977 BAL. SHAFT UPPER 1978 BAL. SHAFT UPPER
	Timing Kit	3-102S 3DR102-2 8MMSR90-1	KIT INCLUDES [3DR102-2] KIT & [8MMSR90-1] KIT KIT INCLUDES [3DR102], [S458], [S455], [BD31], [BD30] & [BT49] (CAM) KIT INCLUDES [8MMSR90], [S407], [S567] (2), [BG48], [BG64] & [BG51] (BALANCE SHAFT)
Balance Shaft Elim. Kit	BSEK122	KIT INCLUDES CHAIN, OIL PUMP SHAFT PLUG, OIL GALLEY PLUG, OIL PUMP MOUNTING GASKET AND INSTRUCTION SHEET.	
17	2.0 (122) DOHC ENG - 1990-94 - 4 Cyl. - 85 MM Bore (LASER) (4G63 MITSUBISHI ENG) (2.0-R 1990-92 NON-TURBO) (2.0-U 1990-92 TURBO) (2.0-E 1993-94 NON-TURBO) (2.0-F 1993-94 TURBO)		
	Oil Pump	M198	1993-1994
	Camshaft	MC1296 MC1295 MC1295 MC1296	1990 EXH. HYD. ROLLER 1990 INT. HYD. ROLLER 1990-1994 W/O TURBO INT. HYD. ROLLER 1991-1994 W/O /M.T. EXH. HYD. ROLLER
	Mell Lube	M-10012	
	Intake Valve	V5126	HEAD DIA. 1.337
	Exhaust Valve	V5128	HEAD DIA. 1.198
	Belt	B-0168 B-0167	65 TEETH BAL. SHAFT 153 TEETH CAMSHAFT
	Tensioner	BT197 BT194 BT225	BAL. SHAFT CAMSHAFT LOWER HYDRAULIC ADJUSTER EXC. VIN CODE F

Line No.	Part Title	Part No	Description
18	2.0-C,N (122) SOHC ENG - 1995-01 - 4 Cyl. - 3.45 Bore (1995-00 BREEZE) (1995-01 NEON)		
	Oil Pump	M190	
	Screen Assy	262S 331S	1995-1996 NEON 1997-2000
	Camshaft	MC1364	1996-2001 HYD. ROLLER ROCKER CAMSHAFT
	Mell Lube	M-10012	
	Intake Valve	V1741	HEAD DIA. 1.309 (SINGLE GROOVE)
	Exhaust Valve	V1742	HEAD DIA. 1.130 (SINGLE GROOVE)
	Belt	B-0245	112 TEETH
19	2.0-Y (122) DOHC ENG - 1995-99 - 4 Cyl. - 3.44 Bore (NEON)		
	Oil Pump	M190	
	Screen Assy	262S 331S	1995-1996 1997-1999
	Mell Lube	M-10012	
	Intake Valve	V1730	HEAD DIA. 1.370
	Exhaust Valve	V1731	HEAD DIA. 1.201
	Belt	B-0246	150 TEETH
20	2.2 (135) SOHC ENG - 1981-94 - 4 Cyl. - 3.444 Bore		
	Oil Pump	M118S M118	1981-1985 INCLUDES SCREEN 1986-1994
	Pump Kit	K-97CG K-97C	1986-1994 USE W/4 BOLT COVER PUMP. W/DIST. DRIVE GEAR 1986-1994 USE W/4 BOLT COVER PUMP. W/O DIST. DRIVE GEAR
	Screen Assy	119S 118S 119S 121S	1990 EXC. TURBO 1991-94 ALL 1981-1987 USE W/M118 OR TUBE INLET I.D. .825" 1988-1989 1990 W/TURBO
	Camshaft	SPD-29 SPD-28 SPD-33 SPD-30 SPD-35 SPD-34	1981-1987 EXC. TURBO- NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. 1981-1987 EXC. TURBO- NOTE: THIS CAM HAS STD. JOURNALS HYD. 1984-1987 TURBO NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. 1984-1987 TURBO NOTE: THIS CAM HAS STD. JOURNALS HYD. 1988-1994 NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. ROLLER 1988-1994 NOTE: THIS CAM HAS STD. JOURNALS HYD. ROLLER
	Camshaft Lifter Kit	CL-SPD-28 CL-SPD-29 CL-SPD-30 CL-SPD-34 CL-SPD-35	1981-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE EXC. TURBO ENG. NOTE: THIS CAM HAS STD. JOURNALS 1981-1987 KIT INCLUDES 1-[SPD-29] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS EXC. TURBO- 1984-1987 KIT INCLUDES 1-[SPD-30] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE TURBO ENG. 1988-1994 KIT INCLUDES 1-[SPD-34] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1994 KIT INCLUDES 1-[SPD-35] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Camshaft Rocker Arm Kit	CL-SPD-28A CL-SPD-29A	1981-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE 1981-1987 KIT INCLUDES 1-[SPD-29] CAM & 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE- NOTE: THIS CAM HAS .020 O/S JOURNALS
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
20	2.2 (135) SOHC ENG - 1981-94 - 4 Cyl. - 3.444 Bore (Continued)		
	Camshaft Rocker Arm Kit	CL-SPD-30A CL-SPD-34A CL-SPD-35A	1984-1987 KIT INCLUDES 1-[SPD-30] CAM, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE TURBO ENG. 1988-1994 KIT INCLUDES 1-[SPD-34] CAM & 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1994 KIT INCLUDES 1-[SPD-35] CAM, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Camshaft, Lifter & Rocker Arm Kit	CL-SPD-28B CL-SPD-29B CL-SPD-30B CL-SPD-34B CL-SPD-35B	1981-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[JB-2105] LIFTERS, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE EXC. TURBO 1981-1987 KIT INCLUDES 1-[SPD-29] CAM, 8-[MR-700] ROCKER ARMS, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE EXC TURBO- NOTE: THIS CAM HAS .020 O/S JOURNALS 1984-1987 KIT INCLUDES 1-[SPD-30] CAM, 8-[JB-2105] LIFTERS, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE TURBO ENG. 1988-1994 KIT INCLUDES 1-[SPD-34] CAM, 8-[JB-2105] LIFTERS, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1994 KIT INCLUDES 1-[SPD-35] CAM, 8-[JB-2105] LIFTERS, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Mell Lube	M-10012	
	Lifters	JB-2105	HYD.
	Intake Valve	V1449 V1541 V1553 V1449 V1555 V1553	1981-1985 HEAD DIA. 1.598 1984-1985 HEAD DIA. 1.598 TURBO 1986-1987 HEAD DIA. 1.598 HORIZON & TURISMO 1986-1987 HEAD DIA. 1.598 HORIZON & TURISMO (EXC. TURBO) 1986-1988 HEAD DIA. 1.598 TURBO 1986-1994 HEAD DIA. 1.598 EXC. TURBO
	Exhaust Valve	V1448 V1540 V1448 V1554 V1552	1981-1985 HEAD DIA. 1.394 1984-1985 HEAD DIA. 1.3937 TURBO 1986-1987 HEAD DIA. 1.394 HORIZON & TURISMO (EXC. TURBO) 1986-1990 HEAD DIA. 1.394 TURBO 1986-1994 HEAD DIA. 1.394 EXC. TURBO
	Valve Springs	VS-1010 VS-1011 VS-1328	1981 TO 11/7/83 EXC. TURBO FROM 1/8/83 TO 1987 EXC. TURBO 1988-1994
	Valve Spring Retainers	VSR-513-S	
	Valve Locks	VL-650 VL-570	EXH. INT.
	Rocker Arms	MR-700 MR-701	1981-1987 1988-1994 ROLLER
	Chain	201	1990-1994 60 LINKS BAL. SHAFT
	Belt	B-071 B-0153	1981-1988 124 TEETH CAMSHAFT 1989-1994 124 TEETH CAMSHAFT
	Cam Sprocket	S616	1981-1988 40 TEETH
	Crank Sprocket	S417 S640	1981-1987 20 TEETH BELT 1990-1994 36 TEETH BAL. SHAFT
	Balance Shaft Sprocket	S642	1990-1994 18 TEETH
	Tensioner	BT91 BT192 BT298	1981-1988 BELT 1989-1994 BELT 1990-1994 BAL. SHAFT
	Timing Kit	B-071-1	1981-1987 KIT INCLUDES [B-071], (2) [S616], [S417] & [BT91]

Line No.	Part Title	Part No	Description
21	2.4-G (144) SOHC ENG - 1993-94 - 4 Cyl. - 86.5 MM Bore (COLT VISTA) (4G64 MITSUBISHI ENG)		
	Oil Pump	M198	
	Mell Lube	M-10012	
	Lifters	JB-2250	HYD.
	Belt	B-0168 B-0230	65 TEETH BAL. SHAFT 124 TEETH CAMSHAFT
	Tensioner	BT197	BAL. SHAFT
22	2.4-W (144) SOHC ENG - 1992 - 4 Cyl. - 86.5 MM Bore (COLT VISTA) (G64B MITSUBISHI ENG)		
	Camshaft	MC1265	HYD. ROLLER
	Mell Lube	M-10012	
	Lifters	JB-2250	HYD.
	Intake Valve	V5143	HEAD DIA. 1.811
	Exhaust Valve	V5144	HEAD DIA. 1.498
	Valve Springs	VS-1317	
	Belt	B-0159 B-0204	55 TEETH BAL. SHAFT 123 TEETH CAMSHAFT
	Tensioner	BT106	BAL. SHAFT
23	2.4-X ,B (148) DOHC ENG - 1996-00 - 4 Cyl. - 3.44 Bore (1996-00 BREEZE) (1996-00 VOYAGER, GRAND VOYAGER)		
	Oil Pump	M252 M247	1996 1997-2000
	Screen Assy	322S 310S	1996 BREEZE 1998-2000
	Mell Lube	M-10012	
	Lifters	JB-2240	HYD.
	Intake Valve	V1730	1996-1999 HEAD DIA. 1.370
	Exhaust Valve	V1731	1996-1999 HEAD DIA. 1.201
	Chain	201	60 LINKS BALANCE SHAFT
	Belt	B-0265	146 TEETH
	Balance Shaft Sprocket	S642	18 TEETH LOWER
	Tensioner	BT298	BAL. SHAFT
	Guide	BG297	BAL. SHAFT LOWER
24	2.5 (153) OHC ENG - 1986-95 - 4 Cyl. - 3.444 Bore		
	Oil Pump	M118	
	Pump Kit	K-97CG K-97C	W/DIST. DRIVE GEAR EXC. HI VOL W/O DIST. DRIVE GEAR EXC. HI VOL
	Screen Assy	123S 121S	1986-1988 1989-1995
	Camshaft	SPD-29 SPD-28 SPD-35 SPD-34	1986-1987 NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. 1986-1987 NOTE: THIS CAM HAS STD. JOURNALS HYD. 1988-1995 NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. ROLLER 1988-1995 NOTE: THIS CAM HAS STD. JOURNALS HYD. ROLLER
	Camshaft Lifter Kit	CL-SPD-28 CL-SPD-29 CL-SPD-34 CL-SPD-35	1986-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1986-1987 KIT INCLUDES 1-[SPD-29] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-34] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-35] CAM, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Camshaft Rocker Arm Kit	CL-SPD-28A	1986-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
24	2.5 (153) OHC ENG - 1986-95 - 4 Cyl. - 3.444 Bore (Continued)		
	Camshaft Rocker Arm Kit	CL-SPD-29A CL-SPD-34A CL-SPD-35A	1986-1987 KIT INCLUDES 1-[SPD-29] CAM & 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE- NOTE: THIS CAM HAS .020 O/S JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-34] CAM & 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-35] CAM, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Camshaft, Lifter & Rocker Arm Kit	CL-SPD-28B CL-SPD-29B CL-SPD-34B CL-SPD-35B	1986-1987 KIT INCLUDES 1-[SPD-28] CAM, 8-[JB-2105] LIFTERS, 8-[MR-700] ROCKER ARMS & 4OZ MELL LUBE 1986-1987 KIT INCLUDES 1-[SPD-29] CAM, 8-[MR-700] ROCKER ARMS, 8-[JB-2105] LIFTERS & 4OZ MELL LUBE EXC TURBO- NOTE: THIS CAM HAS .020 O/S JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-34] CAM, 8-[JB-2105] LIFTERS, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS 1988-1995 KIT INCLUDES 1-[SPD-35] CAM, 8-[JB-2105] LIFTERS, 8-[MR-701] ROCKER ARMS & 4OZ MELL LUBE NOTE: THIS CAM HAS .020 O/S JOURNALS
	Mell Lube	M-10012	
	Lifters	JB-2105	HYD.
	Intake Valve	V1553 V1555 V1553 V1555 V1553	1986-1988 HEAD DIA. 1.598 1989-1992 HEAD DIA. 1.598 TURBO 1989-1992 HEAD DIA. 1.598 W/O TURBO 1993-1995 HEAD DIA. 1.598 MPI FLEXIBLE FUEL ENG. 1993-1995 HEAD DIA. 1.598 W/O MPI FLEXIBLE FUEL ENG.
	Exhaust Valve	V1552 V1554 V1552 V1552	1986-1988 HEAD DIA. 1.394 1989-1992 HEAD DIA. 1.394 TURBO 1989-1992 HEAD DIA. 1.394 W/O TURBO 1993-1995 HEAD DIA. 1.394
	Valve Springs	VS-1011 VS-1328	1986-1987 1988-1995
	Valve Spring Retainers	VSR-513-S	
	Valve Locks	VL-650 VL-570	EXH. INT.
	Rocker Arms	MR-700 MR-701	1986-1987 1988-1995 ROLLER
	Chain	201	60 LINKS BAL. SHAFT
	Belt	B-0114 B-0132 B-0153	1986-1987 126 TEETH CAMSHAFT 1988 126 TEETH CAMSHAFT 1989-1995 124 TEETH CAMSHAFT
	Cam Sprocket	S714	1986-1987 40 TEETH
	Crank Sprocket	S640 S709	36 TEETH CHAIN 1986-1987 20 TEETH BELT
	Balance Shaft Sprocket	S642	18 TEETH
	Tensioner	BT298 BT94 BT192	BAL. SHAFT 1986-1988 BELT 1989-1995 BELT
	Guide	BG297	BAL. SHAFT
	Timing Kit	B-0114-1	1986-1987 KIT INCLUDES [B-0114], (2) [S714] & [S709]

Line No.	Part Title	Part No	Description
25	2.6 (2600) OHC ENG - 1978-86 - 4 Cyl. - 91.1 MM Bore (W/BALANCE SHAFT) (G54B MITSUBISHI ENG)		
	Oil Pump	M122	
	Screen Assy	117S 122S	1978-1983 RWD 1981-1986 FWD
	Camshaft	MC769 MC1285 MC1284 SPD-32 MC1281 MC1286 MC810	FWD NOTE: BEFORE 12/1/80 ORIGINAL DESIGN CAM WAS SUPERSEDED. YOU MUST REPLACE ORIGINAL WATER PUMP DRIVE PULLEY W/NEW STYLE (OEM #MD025669) TO USE W/NEW STYLE CAM MECH. FWD- SEE NOTE FOR [MC769]. THIS CAM HAS .040 O/S JOURNALS MECH. FWD- SEE NOTE FOR [MC769]. THIS CAM HAS .050 O/S JOURNALS MECH. 1978-1985 RWD NOTE: THIS CAM HAS STD. JOURNALS MECH. 1986 RWD NOTE: THIS CAM HAS .020 O/S JOURNALS HYD. 1986 RWD NOTE: THIS CAM HAS .040 O/S JOURNALS HYD. 1986 RWD NOTE: THIS CAM HAS STD. JOURNALS HYD.
	Camshaft Lifter Kit	CL-MC769 CL-MC810	KIT INCLUDES 1-[MC769] CAM, 8-[JB-2250] LIFTERS & 4OZ MELL LUBE FWD 1986 KIT INCLUDES 1-[MC810] CAM, 8-[JB-2250] LIFTERS & 4OZ MELL LUBE NOTE: THIS CAM HAS STD. JOURNALS RWD
	Mell Lube	M-10012	
	Lifters	JB-2250	1986 HYD.
	Intake Valve	V5065 V5092 V5145	1978-1980 HEAD DIA. 1.693 1981 TO 5/84 HEAD DIA. 1.811 FROM 6/84 TO 1986 HEAD DIA. 1.811 W/O INTERCOOLER
	Exhaust Valve	V5064 V5091 V5146	1978-1980 HEAD DIA. 1.377 1981 TO 5/84 HEAD DIA. 1.496 FROM 6/84 TO 1986 HEAD DIA. 1.496 W/O INTERCOOLER
	Jet Valve	V5417	0.276
	Valve Springs	VS-1020 VS-1317	1978-1984 1985-1986
	Rocker Arm Shaft	MRS-669 MRS-670 MRS-669 MRS-670 MRS-671 MRS-672	1978-1984 RWD LEFT SIDE- INT. 1978-1984 RWD RIGHT SIDE- EXH. 1981-1986 FWD LEFT SIDE- INT. 1981-1986 FWD RIGHT SIDE- EXH. 1985-1986 RWD LEFT SIDE- INT. 1985-1986 RWD RIGHT SIDE- EXH.
	Chain	8MMSR90 3DR102	90 LINKS BAL. SHAFT 102 LINKS CAMSHAFT
	Crank Sprocket	S455 S407	19 TEETH INNER 34 TEETH OUTER
	Balance Shaft Sprocket	S567	17 TEETH (2) REQ.
	Tensioner	BT49	
	Guide	BD31 BD30 BG48 BG51 BG64	LOOSE SIDE TENSIONER SIDE BAL. SHAFT LOWER LEFT BAL. SHAFT LOWER RIGHT BAL. SHAFT UPPER
	Timing Kit	3-102S 3DR102-2 8MMSR90-1	KIT INCLUDES [3DR102-2] KIT & [8MMSR90-1] KIT KIT INCLUDES [3DR102], [S458], [S455], [BD31], [BD30] & [BT49] (CAM) KIT INCLUDES [8MMSR90], [S407], [S567] (2), [BG48], [BG64] & [BG51] (BALANCE SHAFT)
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
25	2.6 (2600) OHC ENG - 1978-86 - 4 Cyl. - 91.1 MM Bore (W/BALANCE SHAFT) (G54B MITSUBISHI ENG) (Continued)		
	Balance Shaft Elim. Kit	BSEK122	KIT INCLUDES CHAIN, OIL PUMP SHAFT PLUG, OIL GALLEY PLUG, OIL PUMP MOUNTING GASKET AND INSTRUCTION SHEET.
26	170 ENG - 1960-69 - 6 Cyl. - 3.400 Bore		
	Oil Pump	M-66C M-66HV	HI VOL PUMP-15% ADD'L VOL OF OIL THAN STOCK PUMP
	Pump Kit	K-66CA	W/DIST. DRIVE GEAR- .826 ROTOR THICKNESS- 5 BOLT PUMP MOUNTING-EXC. HI VOL
	Screen Assy	66-S4	1967-1969 VALIANT ONLY
	Camshaft	SPD-3	MECH.
	Camshaft Lifter Kit	CL-SPD-3	KIT INCLUDES 1-[SPD-3] CAM, 12-[JB-2084] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2084	MECH.
	Push Rods	MPR-154	
	Intake Valve	V0567	HEAD DIA. 1.620
	Exhaust Valve	V1265	HEAD DIA. 1.360
	Valve Springs	VS-150	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Chain	495	50 LINKS
	Crank Sprocket	S291	19 TEETH
3pc Set	3-495S	INCLUDES [495], [S314] & [S291]	
27	3.0-3 (181) SOHC ENG - 1987-00 - V6 - 3.587 Bore (INCLUDES MINIVANS) (6G72 MITSUBISHI ENG)		
	Oil Pump	M142	
	Pump Kit	K142	
	Screen Assy	142S	
	Camshaft	MC820 MC822 MC1244 MC1243	1987-1989 LEFT HYD. 1987-1989 RIGHT HYD. 1990-2000 LEFT (FRONT) W/INTEGRAL GEAR HYD. ROLLER 1990-2000 RIGHT (REAR) W/O INTEGRAL GEAR HYD. ROLLER
	Camshaft Lifter Kit	CL-MC820 CL-MC822	1987-1989 KIT INCLUDES 1-[MC820] CAM, 8-[JB-2250] LIFTERS & 4OZ MELL LUBE- LEFT 1987-1989 KIT INCLUDES 1-[MC822] CAM, 8-[JB-2250] LIFTERS & 4OZ MELL LUBE- RIGHT
	Mell Lube	M-10012	
	Lifters	JB-2250	HYD.
	Intake Valve	V5147	HEAD DIA. 1.690
	Exhaust Valve	V5148	HEAD DIA. 1.370
	Valve Springs	VS-1317 VS-1317 VS-1317	1990-1993 1994-1997 OUTER 1998-2000
	Rocker Arms	MR-925	1990-2000 ROLLER
	Rocker Arm Shaft	MRS-673 MRS-674	LEFT SIDE INT. RIGHT SIDE EXH.
	Belt	B-0139	149 TEETH
	Tensioner	BT195	
28	198 ENG - 1970-74 - 6 Cyl. - 3.400 Bore		
	Oil Pump	M-66C M-66HV	HI VOL PUMP-15% ADD'L VOL OF OIL THAN STOCK PUMP
	Pump Kit	K-66CA	W/DIST. DRIVE GEAR- .826 ROTOR THICKNESS- 5 BOLT PUMP MOUNTING- EXC. HI VOL
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
28	198 ENG - 1970-74 - 6 Cyl. - 3.400 Bore (Continued)		
	Screen Assy	66-S4	1970-74 DUSTER & VALIANT, 1971-72 BARRACUDA & 1971-74 ROAD RUNNER & SATELLITE
	Camshaft	SPD-3	MECH.
	Camshaft Lifter Kit	CL-SPD-3	KIT INCLUDES 1-[SPD-3] CAM, 12-[JB-2084] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2084	MECH.
	Push Rods	MPR-152	
	Intake Valve	V0567	HEAD DIA. 1.620
	Exhaust Valve	V1265	HEAD DIA. 1.360
	Valve Springs	VS-150	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Chain	495	50 LINKS
	Crank Sprocket	S291	19 TEETH
	3pc Set	3-495S	INCLUDES [495], [S314] & [S291]
29	3.3 (201) OHV ENG - 1990-00 - V6 - 3.66 Bore (VIN CODE "R" MPI 1990-00) (VIN CODE "J" CNG 1994-00 MINIVAN)		
	Pump Kit	K117	
	Screen Assy	263S	
	Camshaft	MC1252	HYD. ROLLER
	Camshaft Lifter Kit	CL-MC1252	KIT INCLUDES 1-[MC1252] CAM, 12-[JB-2225] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2225	HYD. ROLLER
	Push Rods	MPR-435	
	Intake Valve	V1671	HEAD DIA. 1.791 1990-97 EXC. 1994-97 W/COMPRESSED NATURAL GAS
	Exhaust Valve	V1670	1990-1997 HEAD DIA. 1.476
	Valve Springs	VS-1282	
	Valve Locks	VL-650	EXH.
	Rocker Arms	MR-930	
	Rocker Arm Shaft	MRS-677	
	Chain	388	64 LINKS STIFF-BACK CHAIN-DAMPER NOT REQUIRED
	Cam Sprocket	S788	40 TEETH USE NEW THRUST PLATE SUPPLIED W/THIS SPROCKET
	Crank Sprocket	S715	20 TEETH
	3pc Set	3-388S	INCLUDES [388], [S788] & [S715] HAS STIFF-BACK CHAIN-DAMPER NOT REQUIRED
30	3.5 (215) SOHC ENG - 1997-01 - V6 - 3.78 Bore (VIN CODE "F" 1997, VIN CODE "G" 1999-2001-PROWLER)		
	Oil Pump	M189 M341	1997 2000-2001 PROWLER
	Screen Assy	264S	1997
	Mell Lube	M-10012	
	Intake Valve	V1901	1999-2001 HEAD DIA. 1.437
	Exhaust Valve	V1713	HEAD DIA 1.142
	Valve Springs	VS-2234 VS-2235	1999-2000 EXHAUST 1999-2001 INTAKE
	Valve Spring Retainers	VSR-590	
	Belt	B-0255	1997 202 TEETH
	Tensioner	BT357	1997

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
31	3.7 (225) ENG - 1960-83 - 6 Cyl. - 3.400 Bore		
	Oil Pump	M-66C M-66HV	HI VOL PUMP-15% ADD'L VOL OF OIL THAN STOCK PUMP
	Pump Kit	K-66CA	W/DIST. DRIVE GEAR- .826 ROTOR THICKNESS- 5 BOLT PUMP MOUNTING- EXC. HI VOL
	Screen Assy	66-S4 66-S4 66-S4 66-S4 66-S4 66-S4 66-S4	1967-1972 BARRACUDA 1967-1976 VALIANT 1971-1974 SATELLITE 1971-1976 ROAD RUNNER 1974-1977 FURY 1976-1977 VOLARE 1978-1983
	Camshaft	SPD-3 SPD-27	1960-1980 MECH. 1981-1983 HYD.
	Camshaft Lifter Kit	CL-SPD-3 CL-SPD-27	1960-1980 KIT INCLUDES 1-[SPD-3] CAM, 12-[JB-2084] LIFTERS & 4OZ MELL LUBE 1981-1983 KIT INCLUDES 1-[SPD-27] CAM, 12-[JB-2089] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2084 JB-2089	MECH. 1980-1983 HYD.
	Push Rods	MPR-152 MPR-345	1960-1980 1981-1983
	Intake Valve	V0567	HEAD DIA. 1.620
	Exhaust Valve	V1265	HEAD DIA. 1.360
	Valve Springs	VS-150	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-884	1981-1983 NON ADJ.
	Chain	495	50 LINKS
	Crank Sprocket	S291	19 TEETH
	3pc Set	3-495S	INCLUDES [495], [S314] & [S291]
32	230 ENG - 1934-59 - 6 Cyl. - 3 3/4 Bore 231,232		
	Oil Pump	M-37	ROTO TYPE ONLY
	Pump Kit	K-37A	W/DIST. DRIVE GEAR, ROTO TYPE ONLY
	Mell Lube	M-10012	
	Intake Valve	V0349	HEAD DIA. 1.531
	Exhaust Valve	V0185	HEAD DIA. 1.407
	Chain	490	1955-1959 48 LINKS
	Cam Sprocket	S265	1955-1959 38 TEETH
	Crank Sprocket	S127 S266	1934-1954 19 TEETH 1955-1959 19 TEETH
33	3.8-L (230) OHV ENG - 1994-99 - V6 - 3.78 Bore (INCLUDES MINIVAN) NOT USED IN 1996		
	Pump Kit	K117	
	Screen Assy	263S	
	Camshaft	MC1252	HYD. ROLLER
	Camshaft Lifter Kit	CL-MC1252	KIT INCLUDES 1-[MC1252] CAM, 12-[JB-2225] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-2225	HYD. ROLLER
	Push Rods	MPR-435	
	Intake Valve	V1671	HEAD DIA. 1.791
	Exhaust Valve	V1670	HEAD DIA. 1.476
	Valve Springs	VS-1282	
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
33	3.8-L (230) OHV ENG - 1994-99 - V6 - 3.78 Bore (INCLUDES MINIVAN) NOT USED IN 1996 (Continued)		
	Valve Locks	VL-650	EXH.
	Rocker Arms	MR-930	
	Rocker Arm Shaft	MRS-677	
	Chain	388	64 LINKS STIFF-BACK CHAIN-DAMPER NOT REQUIRED
	Cam Sprocket	S788	40 TEETH USE NEW THRUST PLATE SUPPLIED W/THIS SPROCKET
	Crank Sprocket	S715	20 TEETH
	3pc Set	3-388S	INCLUDES [388], [S788] & [S715] HAS STIFF-BACK CHAIN-DAMPER NOT REQUIRED
34	239 ENG - 1953-55 - 8 Cyl. - 3 7/16 Bore		
	Intermediate Shaft	IS-47	
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Crank Sprocket	S127	19 TEETH
35	270 ENG - 1955-56 - 8 Cyl. - 3 5/8 Bore		
	Intermediate Shaft	IS-47	
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Valve Springs	VS-150	
	Valve Locks	VL-400	
	Chain	348	68 LINKS
	Cam Sprocket	S273	46 TEETH
	Crank Sprocket	S274	23 TEETH
36	273 ENG - 1965-69 - 8 Cyl. - 3 5/8 Bore		
	Oil Pump	M-72 M-72HV	HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-72	EXC. HI VOL
	Screen Assy	72-S2	
	Intermediate Shaft	IS-72	
	Camshaft	SPD-20	1968-1969 HYD.
	Camshaft Lifter Kit	CL-SPD-20	1968-1969 KIT INCLUDES 1-[SPD-20] CAM, 16-[JB-2011] LIFTERS & 4OZ MELL LUBE
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-1	1968-1969 KIT INCLUDES 1-[MTD-1] TORQUE CAM, 16-[29011] LIFTERS & 4OZ MELL LUBE - MAY NOT BE COMPUTER COMPATIBLE
	Torque Camshaft	MTD-1	1968-1969 HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-1120] SPRING W/INSTALLED HGT. OF 1.65. NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Lifters	JB-937 JB-2011	1965-1967 1968-1969 HYD.
	Push Rods	MPR-155 MPR-324 MPR-405	1965-1967 1968-1969 1968-1969 .030 O/S
	Intake Valve	V0938	HEAD DIA. 1.780
	Exhaust Valve	V1329	HEAD DIA. 1.500
	Valve Springs	VS-150	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-892 MR-893	1968-1969 LEFT HAND 1968-1969 RIGHT HAND
	Rocker Arm Shaft	MRS-661	1968-1969
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
36	273 ENG - 1965-69 - 8 Cyl. - 3 5/8 Bore (Continued)		
	Chain	361	68 LINKS
	Cam Sprocket	S358	46 TEETH
	3pc Set	3-361S	INCLUDES [361], [S358] & [S359]
37	5.2 (318) ENG - 1957-89 - 8 Cyl. - 3.91 Bore		
	Oil Pump	M-72 M-72HV	1962-1989 EXC. 1962 W/HIGH PERFORMANCE ENGINE 1962-1989 HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-72	1962-1989 EXC. HI VOL & 1962 HI PERF. ENGS.
	Screen Assy	72-S2	1965-1989
	Intermediate Shaft	IS-47 IS-72	1959-1961 1962-1989 EXC. 1962 W/HP ENG.
	Camshaft	SPD-20 MC762 SPD-20	1967-1984 HYD. 1985-1989 W/2BC HYD. ROLLER 1985-1989 W/4BC POLICE, EXC. ROLLER LIFTERS HYD.
	Camshaft Lifter Kit	CL-SPD-20	KIT INCLUDES 1-[SPD-20] CAM, 16-[JB-2011] LIFTERS & 4OZ MELL LUBE SEE CAM FOR APPPLICATIONS
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-1	1967-1989 KIT INCLUDES 1-[MTD-1] TORQUE CAM, 16-[29011] LIFTERS & 4OZ MELL LUBE - MAY NOT BE COMPUTER COMPATIBLE EXC. ROLLER LIFTERS
	Torque Camshaft	MTD-1	1967-1989 HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE VS-1120 SPRING W/INSTALLED HGT. OF 1.65 EXC. ROLLER CAM ENG. NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Lifters	JB-937 JB-879 JB-2011 JB-2225	1960-1966 1967 1968-1989 HYD. 1985-1989 HYD. ROLLER
	Push Rods	MPR-55 MPR-153 MPR-324 MPR-405 MPR-371 MPR-381	1958-1966 W/MECH. LIFTERS 1966 318LA ENG. W/HYD. LIFTERS 1968-1988 W/O ROLLER LIFTERS 1968-1988 .030 O/S W/O ROLLER LIFTERS 1985-1988 W/ROLLER LIFTERS 1989 W/ROLLER LIFTERS
	Intake Valve	V0514 V0938 V1180	1958-1966 HEAD DIA. 1.844 1967-1989 HEAD DIA. 1.780 EXC. 1967 CC318 & 1981-89 H.D. OR POLICE W/4BC 1980-1989 HEAD DIA. 1.880 W/H.D. 4BC & POLICE (W/2 GROOVES) - USE WITH 2 GROOVE VALVE LOCK
	Exhaust Valve	V1329 V1399 V1399 V1401	1967-1978 HEAD DIA. 1.500 1979 HEAD DIA. 1.500 1980-1989 HEAD DIA. 1.500 EXC. 4BC & H.D. CALIF. 1981-1988 HEAD DIA. 1.600 W/H.D. 4BC & POLICE
	Valve Springs	VS-150	1960-1988 EXC. 4BC
	Valve Locks	VL-400 VL-100	INT. & EXH. W/4 GROOVES INT. 2 GROOVES
	Rocker Arms	MR-892 MR-893 MR-894 MR-897	1967-1988 LEFT HAND 1967-1988 RIGHT HAND 1989 LEFT HAND 1989 RIGHT HAND
	Rocker Arm Shaft	MRS-661	1967-1989
	Chain	348 160 361 160	1960-1964 68 LINKS 1965-1988 68 LINKS H.D. ROLLER CHAIN 1965-1988 68 LINKS STD. CHAIN EXC. HI PERF. 1989 68 LINKS STOCK ROLLER CHAIN
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
37	5.2 (318) ENG - 1957-89 - 8 Cyl. - 3.91 Bore (Continued)		
	Cam Sprocket	S273 S402 S358 S402	1960-1964 46 TEETH 1965-1988 46 TEETH H.D. W/ROLLER CHAIN 1965-1988 46 TEETH W/STANDARD CHAIN EXC. HI PERF. 1989 46 TEETH STOCK ROLLER SPKT.
	Crank Sprocket	S274 S297 S297	1960-1964 23 TEETH 1965-1988 23 TEETH H.D. W/ROLLER CHAIN 1989 23 TEETH STOCK ROLLER SPKT.
	3pc Set	3-160S 3-361S 3-160S	1965-1988 INCLUDES [160], [S402] & [S297] H.D. ROLLER CHAIN SET 1965-1988 INCLUDES [361], [S358] & [S359] STANDARD CHAIN SET 1989 INCLUDES [160], [S402] & [S297] STOCK ROLLER SET
38	340 ENG - 1968-73 - 8 Cyl. - 4.04 Bore		
	Oil Pump	M-72 M-72HV	HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-72	EXC. HI VOL
	Screen Assy	72-S2	
	Intermediate Shaft	IS-72	
	Camshaft	SPD-22	HYD.
	Camshaft Lifter Kit	CL-SPD-22	KIT INCLUDES 1-[SPD-22] CAM, 16-[JB-2011] LIFTERS & 4OZ MELL LUBE
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-1	KIT INCLUDES 1-[MTD-1] TORQUE CAM, 16-[29011] LIFTERS & 4OZ MELL LUBE - MAY NOT BE COMPUTER COMPATIBLE
	Torque Camshaft	MTD-1	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-1120] SPRING W/INSTALLED HGT. OF 1.65. NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Lifters	JB-2011	HYD.
	Push Rods	MPR-324 MPR-157 MPR-405	EXC. 3/2BC W/3/2BC .030 O/S EXC. 3/2BC
	Intake Valve	V1180 V1101	HEAD DIA. 1.880 W/2 GROOVES- USE WITH 2 GROOVE VALVE LOCK 1968-1971 HEAD DIA. 2.020
	Exhaust Valve	V1307	HEAD DIA. 1.600
	Valve Springs	VS-1120	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-892 MR-893	1968-1969 LEFT HAND 1968-1969 RIGHT HAND
	Rocker Arm Shaft	MRS-661	1968-1969
	Chain	160	68 LINKS
	Cam Sprocket	S402	46 TEETH
	Crank Sprocket	S297	23 TEETH
	3pc Set	3-160S	INCLUDES [160], [S402] & [S297]
39	350 ENG - 1958 - 8 Cyl. - 4 1/16 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11	HYD.
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
39	350 ENG - 1958 - 8 Cyl. - 4 1/16 Bore (Continued)		
	Camshaft Lifter Kit	CL-SPD-11A	KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Push Rods	MPR-56	
	Intake Valve	V0548	HEAD DIA. 2.080
	Exhaust Valve	V0520	HEAD DIA. 1.600
	Valve Springs	VS-360	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	495	50 LINKS
	Crank Sprocket	S291	19 TEETH
40	5.9 (360) ENG - 1971-80 - 8 Cyl. - 4.000 Bore INCLUDES TRUCKS		
	Oil Pump	M-72 M-72HV	HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-72	EXC. HI VOL
	Screen Assy	72-S2 72-S2 72-S4 72-S2	1971-1973 1974-1978 BARRACUDA, FURY, SATELLITE, VALIANT, VOLARE 1974-1978 PLYMOUTH & GRAND FURY 1979-1980
	Intermediate Shaft	IS-72	
	Camshaft	SPD-25 SPD-22	ALL EXC. 1974-75 W/4BC, HI PERF. & CALIF. HYD. 1974-1975 W/4BC & HI PERF. W/O CALIF. HYD.
	Camshaft Lifter Kit	CL-SPD-22 CL-SPD-25	KIT INCLUDES 1-[SPD-22] CAM, 16-[JB-2011] LIFTERS & 4OZ MELL LUBE ALL W/4BC & HI PERF. W/O CALIF. KIT INCLUDES 1-[SPD-25] CAM, 16-[JB-2011] LIFTERS & 4OZ MELL LUBE EXC. 1974-75 W/4BC & HI PERF. & CALIF.
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-1	KIT INCLUDES 1-[MTD-1] TORQUE CAM, 16-[29011] LIFTERS & 4OZ MELL LUBE - MAY NOT BE COMPUTER COMPATIBLE
	Torque Camshaft	MTD-1	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-1120] SPRING W/INSTALLED HGT. OF 1.65. NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Lifters	JB-2011	HYD.
	Push Rods	MPR-324 MPR-405	.030 O/S
	Intake Valve	V1180	HEAD DIA. 1.880 W/2 GROOVES- WILL REPLACE 4 GROOVE VALVE IF [VL-100] LOCKS ARE USED
	Exhaust Valve	V1307 V1401	HEAD DIA. 1.600 EXC. 4BC HI PERF. HEAD DIA. 1.600 W/4BC HI PERF.
	Valve Springs	VS-150 VS-1120	1971-74 EXC. HI PERF. & 1976-80 EXC. HI PERF. 1974-1976 HI PERF. W/O CALIF.
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-892 MR-893	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-661	
	Chain	361 160	68 LINKS 68 LINKS H.D.
	Cam Sprocket	S358	46 TEETH
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
40	5.9 (360) ENG - 1971-80 - 8 Cyl. - 4.000 Bore INCLUDES TRUCKS (Continued)		
	Cam Sprocket	S402	46 TEETH H.D.
	Crank Sprocket	S297	23 TEETH H.D.
	3pc Set	3-160S 3-361S	INCLUDES [160], [S402] & [S297] H.D. INCLUDES [361], [S358] & [S359]
41	361 ENG - 1959-66 - 8 Cyl. - 4 1/8 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11	HYD.
	Camshaft Lifter Kit	CL-SPD-11A	KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Push Rods	MPR-56	
	Intake Valve	V0548	HEAD DIA. 2.080 DOUBLE GROOVE
	Exhaust Valve	V0520	HEAD DIA. 1.600
	Valve Springs	VS-360	
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	495 168	50 LINKS 66 LINKS H.D.
	Crank Sprocket	S291 S339	19 TEETH 25 TEETH H.D.
42	383 ENG - 1960-71 - 8 Cyl. - 4 1/4 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Screen Assy	63-S3	1967-1971
	Intermediate Shaft	IS-47 IS-63 IS-63	1960-1961 EXC. HI PERF. 1960-1961 HI PERF. 1962-1971
	Camshaft	SPD-11 SPD-11 SPD-31	2BC HYD. 1960-1968 4BC & HI PERF. HYD. 1969-1971 4BC & HI PERF. HYD.
	Camshaft Lifter Kit	CL-SPD-11A CL-SPD-11 CL-SPD-11 CL-SPD-31	1960-1967 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE 1968 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE 4BC & HI PERF. 1968-1971 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE 2BC 1969-1971 KIT INCLUDES 1-[SPD-31] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE 4BC & HI PERF.
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
42	383 ENG - 1960-71 - 8 Cyl. - 4 1/4 Bore (Continued)		
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-2	1968-1971 KIT INCLUDES 1-[MTD-2] TORQUE CAM, 16-[29976] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-812 JB-976	1960-1967 HYD. 1968-1971 HYD.
	Push Rods	MPR-153 MPR-56 MPR-321	1959 1960-1967 1968-1971
	Intake Valve	V0548	HEAD DIA. 2.080 DOUBLE GROOVE
	Exhaust Valve	V0520 V1156	1960-1967 HEAD DIA. 1.600 1968-1971 HEAD DIA. 1.740
	Valve Springs	VS-360 VS-150 VS-430	W/2BC- W/O SPRING DAMPERS 1959 1968-1971 W/4BC & SPRING DAMPERS
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	168 495 501	66 LINKS H.D. 1960-1965 50 LINKS 1966-1971 50 LINKS
	Cam Sprocket	S380 S366	50 TEETH H.D. 1966-1971 38 TEETH
	Crank Sprocket	S339 S291	25 TEETH H.D. 1960-1965 19 TEETH
	3pc Set	3-168SA 3-501SA	INCLUDES [168], [S380] & [S339] H.D. 1966-1971 INCLUDES [501], [S366] & [S367]
43	400 ENG - 1972-78 - 8 Cyl. - 4.342 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Screen Assy	63-S4 63-S4	1973-1974 SATELLITE 1975-1978 FURY
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11 SPD-31 SPD-11	1972-1974 W/2BC 1972-1974 W/4BC HYD. 1975-1978 HYD.
	Camshaft Lifter Kit	CL-SPD-31 CL-SPD-11	1972-1974 KIT INCLUDES 1-[SPD-31] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE W/4BC HYD 1972-1978 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE 1972-74 W/2BC
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-2	KIT INCLUDES 1-[MTD-2] TORQUE CAM, 16-[29976] LIFTERS & 4OZ MELL LUBE
	Mell Lube	M-10012	
	Lifters	JB-976	HYD.
	Push Rods	MPR-321	
	Intake Valve	V0548	HEAD DIA. 2.080 DOUBLE GROOVE
	Exhaust Valve	V1156	HEAD DIA. 1.740
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
43	400 ENG - 1972-78 - 8 Cyl. - 4.342 Bore (Continued)		
	Valve Springs	VS-360 VS-430	EXC. HI PERF. W/4BC HI PERF.
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	501 168	50 LINKS 66 LINKS H.D.
	Cam Sprocket	S366 S380	38 TEETH 50 TEETH H.D.
	Crank Sprocket	S339	25 TEETH H.D.
	3pc Set	3-168SA 3-501SA	INCLUDES [168], [S380] & [S339] H.D. INCLUDES [501], [S366] & [S367]
44	413 ENG - 1962 - 8 Cyl. - 4 3/16 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11	HYD.
	Camshaft Lifter Kit	CL-SPD-11A	KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Push Rods	MPR-151	
	Valve Springs	VS-360	
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	495	50 LINKS
	Crank Sprocket	S291	19 TEETH
45	426 HEMI ENG - 1966-71 - 8 Cyl. - 4 1/4 Bore		
	Oil Pump	M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Intermediate Shaft	IS-63	
	Mell Lube	M-10012	
	Lifters	JB-942	MECH.
	Valve Spring Retainers	VSR-517	
	Chain	168	66 LINKS
	Crank Sprocket	S339	25 TEETH
	3pc Set	3-168S	INCLUDES [168], [S340] & [S339]
46	426 WEDGE ENG - 1963-65 - 8 Cyl. - 4 1/4 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	<i>Continued on Next Page</i>		

PLYMOUTH (Continued)

Line No.	Part Title	Part No	Description
46	426 WEDGE ENG - 1963-65 - 8 Cyl. - 4 1/4 Bore (Continued)		
	Pump Kit	K-63	EXC. HI VOL
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11	HYD.
	Camshaft Lifter Kit	CL-SPD-11A	KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86
	Mell Lube	M-10012	
	Lifters	JB-812	HYD.
	Push Rods	MPR-151	
	Intake Valve	V0548	1965 HEAD DIA. 2.080
	Exhaust Valve	V0520	1965 HEAD DIA. 1.600
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-570	
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	495 168	50 LINKS 66 LINKS H.D.
	Cam Sprocket	S380	50 TEETH H.D.
	Crank Sprocket	S291 S339	19 TEETH 25 TEETH H.D.
	3pc Set	3-168SA	INCLUDES [168], [S380] & [S339] H.D.
47	440 ENG - 1966-78 - 8 Cyl. - 4.320 Bore		
	Oil Pump	M-63 M-63HP M-63HV	HI PRESSURE HI VOL PUMP (25% ADD'L VOL OF OIL)
	Pump Kit	K-63	EXC. HI VOL
	Screen Assy	63-S3 63-S4 63-S4	1967-1970 FURY 1973-1974 SATELLITE 1975-1978 FURY
	Intermediate Shaft	IS-63	
	Camshaft	SPD-11 SPD-31	SINGLE BOLT CAM. EXC. HI PERF. HYD. SINGLE BOLT CAM. HI PERF. HYD.
	Camshaft Lifter Kit	CL-SPD-11A CL-SPD-11 CL-SPD-31	1966-1967 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-812] LIFTERS & 4OZ MELL LUBE EXC. HI PERF. 1968-1978 KIT INCLUDES 1-[SPD-11] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE EXC. HI PERF. 1972-1978 KIT INCLUDES 1-[SPD-31] CAM, 16-[JB-976] LIFTERS & 4OZ MELL LUBE H.P. & 4BC
	Camshafts Using Hydraulic Lifters	MTD-2	HYD. IMPROVES LOW-MID. PERF. CHECK FOR COIL BIND. USE [VS-430] SPRING W/INSTALLED HGT. OF 1.86 SINGLE BOLT CAM
	Camshaft Lifter Kits Using Hydraulic Lifters	CL-MTD-2	1968-1978 KIT INCLUDES 1-[MTD-2] TORQUE CAM, 16-[29976] LIFTERS & 4OZ MELL LUBE SINGLE BOLT CAM
	Mell Lube	M-10012	
	Lifters	JB-812 JB-976	1966-1967 HYD. 1968-1978 HYD.
	Push Rods	MPR-151 MPR-323	1966-1967 1968-1978
	Intake Valve	V0548 V1157	HEAD DIA. 2.080 DOUBLE GROOVE 1970-1971 HEAD DIA. 2.080 SINGLE GROOVE
	Exhaust Valve	V1156	HEAD DIA. 1.740
	Valve Springs	VS-360	EXC. HI PERF.
	<i>Continued on Next Page</i>		

Line No.	Part Title	Part No	Description
47	440 ENG - 1966-78 - 8 Cyl. - 4.320 Bore (Continued)		
	Valve Springs	VS-430	1968-1978 4BC HI PERF.
	Valve Spring Retainers	VSR-515-S	
	Valve Locks	VL-400 VL-100	EXH. INT.
	Rocker Arms	MR-850 MR-851	LEFT HAND RIGHT HAND
	Rocker Arm Shaft	MRS-648	
	Chain	501 168	50 LINKS EXC. HI PERF. ENG. 66 LINKS H.D.
	Cam Sprocket	S366 S380	38 TEETH EXC. HI PERF. ENG. 50 TEETH H.D. SINGLE BOLT CAM
	Crank Sprocket	S339	25 TEETH H.D.
	3pc Set	3-168S 3-168SA 3-501SA	INCLUDES [168], [S340] & [S339] H.D. 3 BOLT CAM & W/STOCK 3/2BC INCLUDES [168], [S380] & [S339] H.D. SINGLE BOLT CAM INCLUDES [501], [S366] & [S367] EXC. HI PERF. ENG.